






精攻銑牙系列



PAGE 77



錫鋼螺旋銑牙刀-UN規格(内牙)

[illegible]




www.chillyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信


鎢鋼螺旋銑牙刀-NPT規格(內/外牙)



絲攻銑牙系列

項次	品號	牙尺寸 (Thread Size)	螺距 (Pitch)	牙長 (H)	刃數 (T)	柄徑 (D)	全長 (L)	齒數 (Zt)	底孔尺寸 (mm)	建議價格
1	JFT2706	1/16"x27	27	5.3	3	6	60	10	6.3	2,600
2	JFT2708	1/8"x27	27	7.5	4	8	60	10	8.5	3,000
3	JFT1810	1/4"x18	18	9.4	4	10	75	10	11.1	3,500
4	JFT1812	3/8"x18	18	11.9	4	12	75	10	14.5	3,800
5	JFT1416	1/2",3/4"x14	14	15.5	4/5	16	100	14	17.7/23.0	5,200
6	JFT11520	1-2"x11.5	11.5	19.9	4/5	20	100	15	29.0/56.0	6,200
7	JFT0820	2 1/2",3"x8	8	19.9	4	20	100	12	66.5	6,200

鎢鋼螺旋銑牙刀-NPTF規格(內/外牙)



項次	品號	牙尺寸 (Thread Size)	螺距 (Pitch)	牙長 (H)	刃數 (T)	柄徑 (D)	全長 (L)	齒數 (Zt)	底孔尺寸 (mm)	建議價格
1	JFF2706	1/16"x27	27	5.3	3	6	60	10	6.3	2,600
2	JFF2708	1/8"x27	27	7.5	4	8	60	10	8.5	3,000
3	JFF1810	1/4"x18	18	9.4	4	10	75	10	11.1	3,500
4	JFF1812	3/8"x18	18	11.9	4	12	75	10	14.7	3,800
5	JFF1416	1/2",3/4"x14	14	15.5	4/5	16	100	14	17.9/23.4	5,200
6	JFF11520	1-2"x11.5	11.5	19.9	4/5	20	100	15	29.4/56.2	6,200
7	JFF0820	2 1/2",3"x8	8	19.9	4	20	100	12	67.0	6,200




www.chillyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信




鎢鋼螺旋銑牙刀-BSP(G)規格(內/外牙)



頁次	品號	牙尺寸 (Thread Size)	螺距 (Pitch)	外徑 (D)	牙長 (H)	刃數 (T)	柄徑 (D)	全長 (L)	齒數 (Zt)	底孔尺寸 (mm)	建議價格
1	JFB2806	1/16", 1/8"x28	28	5.8	16.3	3	6	60	18	6.7	2,000
2	JFB2808	1/8", 28	28	7.7	20.0	3	8	60	22	8.7	2,500
3	JFB1910	1/4", 3/8"x19	19	9.9	26.7	4	10	75	20	11.8	3,000
4	JFB1412	1/2", 3/4"x14	14	11.9	22.7	4	12	75	16	19.0	3,300
5	JFB1916	3/8"x19	19	13.4	33.4	4	16	100	25	15.2	4,600
6	JFB1416	1/2", 3/4"x14	14	15.7	43.5	4/5	16	100	24	19.0	4,600
7	JFB1120	1", 1 1/2", 2 1/2"x11	11	19.9	41.6	4/5	20	100	18	30.7	5,400

鎢鋼螺旋銑牙刀-BSPT(Rc)規格(內/外牙)



頁次	品號	牙尺寸 (Thread Size)	螺距 (Pitch)	外徑 (D)	牙長 (H)	刃數 (T)	柄徑 (D)	全長 (L)	齒數 (Zt)	底孔尺寸 (mm)	建議價格
1	JFB2806	1/16", 1/8"x28	28	5.8	16.3	3	6	60	18	6.7	2,600
2	JFB2808	1/8", 28	28	7.7	20.0	3	8	60	22	8.7	3,000
3	JFB1910	1/4", 3/8"x19	19	9.9	26.7	4	10	75	20	11.8	3,500
4	JFB1412	1/2", 3/4"x14	14	11.9	22.7	4	12	75	16	19.0	3,800
5	JFB1916	3/8"x19	19	13.4	33.4	4	16	100	25	15.2	3,800
6	JFB1416	1/2", 3/4"x14	14	15.7	43.5	4/5	16	100	24	19.0	5,200
7	JFB1120	1", 1 1/2", 2 1/2"x11	11	19.9	41.6	4/5	20	100	18	30.7	6,200





www.chillyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信

120-鎢鋼冷鑽




(一) 牙的長度-可到2D

項次	品號	牙尺寸 (Thread Size)	螺距 (Pitch)	尺寸(mm)											刃數 (T)	齒數 (Zt)	建議 價格
				L	L4	L2	L3	W	Le	D3	D	D1	Dc	D2			
1	JFWD0810	M6x1.0	1.00	60	14.5	13.7	36	1.0	12.7	5.0	9	6.6	6.3	4.85	3	18	3,400
2	JFWD10125	M8x1.25	1.25	75	18.2	17.1	40	1.3	15.8	6.8	10	9.0	8.3	6.45	3	22	4,000
3	JFWD1215	M10x1.5	1.50	80	23.4	22.1	45	1.5	20.6	8.5	12	11.0	10.3	8.08	4	20	4,500
4	JFWD14175	M12x1.75	1.75	100	27.1	25.5	45	1.5	24.0	10.3	14	13.5	12.3	9.74	4	16	5,500

(一) 牙的長度-可到2.5D

項次	品號	牙尺寸 (Thread Size)	螺距 (Pitch)	尺寸(mm)											刃數 (T)	齒數 (Zt)	建議 價格
				L	L4	L2	L3	W	Le	D3	D	D1	Dc	D2			
1	JFWDL0810	M6x1.0	1.00	60	14.5	13.7	36	1.0	12.7	5.0	9	6.6	6.3	4.85	2	13	3,400
2	JFWDL10125	M8x1.25	1.25	75	18.2	17.1	40	1.3	15.8	6.8	10	9.0	8.3	6.45	2	15	4,000
3	JFWDL1215	M10x1.5	1.50	80	23.4	22.1	45	1.5	20.6	8.5	12	11.0	10.3	8.08	2	15	4,500

加工過程





www.chillyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信

**REGAL 多用途螺旋絲攻、先端絲攻 (藍環區分)**

多用途先端絲攻



多用途螺旋絲攻

材質: HSS-EX

頁次	訂購編號 (螺旋)	訂購編號 (先端)	規格	螺旋絲攻SFT		先端絲攻POT	
				建議售價(白刀)	建議售價(鍍鈦)	建議售價(白刀)	建議售價(鍍鈦)
1	C01-(T)001	C02-(T)001	M1.2*0.25	X	X	1	575
2	C01-(T)002	C02-(T)002	M1.4*0.3	506	561	486	531
3	C01-(T)003	C02-(T)003	M1.6*0.35	450	495	433	478
4	C01-(T)004	C02-(T)004	M1.7*0.35	410	455	397	442
5	C01-(T)005	C02-(T)005	M1.8*0.35	410	455	397	442
6	C01-(T)006	C02-(T)006	M2*0.4	351	397	341	385
7	C01-(T)007	C02-(T)007	M2.2*0.45	380	426	355	400
8	C01-(T)008	C02-(T)008	M2.3*0.4	361	408	338	385
9	C01-(T)009	C02-(T)009	M2.5*0.45	315	362	299	345
10	C01-(T)010	C02-(T)010	M2.6*0.45	257	303	247	294
11	C01-(T)011	C02-(T)011	M3*0.5	212	259	207	253
12	C01-(T)012	C02-(T)012	M3.5*0.6	223	270	216	263
13	C01-(T)013	C02-(T)013	M4*0.5	401	448	401	448
14	C01-(T)014	C02-(T)014	M4*0.7	210	247	198	245
15	C01-(T)015	C02-(T)015	M4.5*0.75	253	300	244	291
16	C01-(T)016	C02-(T)016	M5*0.5	411	457	411	457
17	C01-(T)017	C02-(T)017	M5*0.8	205	252	198	245
18	C01-(T)018	C02-(T)018	M6*0.75	259	306	259	306
19	C01-(T)019	C02-(T)019	M6*1.0	217	264	212	259
20	C01-(T)020	C02-(T)020	M7*0.75	462	532	462	532
21	C01-(T)021	C02-(T)021	M7*1.0	288	358	281	351
22	C01-(T)022	C02-(T)022	M8*1.0	450	520	440	510
23	C01-(T)023	C02-(T)023	M8*1.25	298	368	287	357
24	C01-(T)024	C02-(T)024	M9*1.0	623	703	X	X
25	C01-(T)025	C02-(T)025	M10*1.0	522	634	536	617
26	C01-(T)026	C02-(T)026	M10*1.25	394	476	384	466
27	C01-(T)027	C02-(T)027	M10*1.5	394	476	384	466
28	C01-(T)028	C02-(T)028	M11*1.0	968	1062	968	1062
29	C01-(T)029	C02-(T)029	M12*1.0	641	734	641	734
30	C01-(T)030	C02-(T)030	M12*1.25	531	624	531	624
31	C01-(T)031	C02-(T)031	M12*1.5	531	624	531	624
32	C01-(T)032	C02-(T)032	M12*1.75	531	624	531	624
33	C01-(T)033	C02-(T)033	M14*1.0	907	1023	907	1023
34	C01-(T)034	C02-(T)034	M14*1.25	888	1005	845	961
35	C01-(T)035	C02-(T)035	M14*1.5	708	825	693	810

[illegible]



REGAL 多用途螺旋絲攻、先端絲攻 (藍環區分)

絲攻銑牙系列



多用途先端絲攻



多用途螺旋絲攻

材質：HSS-EX

[illegible]



絲攻銑牙系列

[illegible]



www.chillyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信

**REGAL 長柄機械絲攻 (藍環區分)**

多用途螺旋絲攻



多用途先端絲攻

材質：HSS-EX

頁次	訂購編號 (螺旋)	訂購編號 (先端)	規格	長度	螺旋絲攻SFT		先端絲攻POT	
					建議售價(白刀)	建議售價(鍍鈦)	建議售價(白刀)	建議售價(鍍鈦)
1	C17-(T)001	C20-(T)001	M3*0.5	100L	685	745	685	745
2	C17-(T)002	C20-(T)002	M3*0.5	120L	793	860	793	860
3	C17-(T)003	C20-(T)003	M3*0.5	150L	1060	1136	1060	1136
4	C17-(T)004	C20-(T)004	M4*0.7	100L	630	690	630	690
5	C17-(T)005	C20-(T)005	M4*0.7	120L	789	855	789	855
6	C17-(T)006	C20-(T)006	M4*0.7	150L	1119	1195	1119	1195
7	C17-(T)007	C20-(T)007	M5*0.8	100L	544	604	544	604
8	C17-(T)008	C20-(T)008	M5*0.8	120L	733	800	733	800
9	C17-(T)009	C20-(T)009	M5*0.8	150L	859	935	859	935
10	C17-(T)010	C20-(T)010	M6*1.0	100L	478	538	478	538
11	C17-(T)011	C20-(T)011	M6*1.0	120L	700	770	700	770
12	C17-(T)012	C20-(T)012	M6*1.0	150L	910	990	910	990
13	C17-(T)013	C20-(T)013	M8*1.25	100L	583	650	583	650
14	C17-(T)014	C20-(T)014	M8*1.25	120L	821	894	821	894
15	C17-(T)015	C20-(T)015	M8*1.25	150L	1143	1230	1143	1230
16	C17-(T)016	C20-(T)016	M10*1.5	100L	692	765	692	765
17	C17-(T)017	C20-(T)017	M10*1.5	120L	937	1020	937	1020
18	C17-(T)018	C20-(T)018	M10*1.5	150L	1349	1449	1349	1449
19	C17-(T)019	C20-(T)019	M12*1.75	100L	909	1002	909	1002
20	C17-(T)020	C20-(T)020	M12*1.75	120L	1164	1267	1164	1267
21	C17-(T)021	C20-(T)021	M12*1.75	150L	1716	1836	1716	1836
22	C17-(T)022	C20-(T)022	M14*1.5	120L	1313	1420	1313	1420
23	C17-(T)023	C20-(T)023	M14*1.5	150L	2021	2148	2021	2148
24	C17-(T)024	C20-(T)024	M14*2.0	120L	1315	1422	1315	1422
25	C17-(T)025	C20-(T)025	M14*2.0	150L	1868	1995	1868	1995
26	C17-(T)026	C20-(T)026	M16*1.5	120L	1798	1931	1798	1931
27	C17-(T)027	C20-(T)027	M16*1.5	150L	2221	2371	2221	2371
28	C17-(T)028	C20-(T)028	M16*1.5	200L	2553	2743	2553	2743
29	C17-(T)029	C20-(T)029	M16*2.0	120L	1798	1931	1798	1931
30	C17-(T)030	C20-(T)030	M16*2.0	150L	2094	2244	2094	2244
31	C17-(T)031	C20-(T)031	M16*2.0	200L	2559	2749	2559	2749
32	C17-(T)032	C20-(T)032	M18*2.5	150L	2389	2559	2389	2559
33	C17-(T)033	C20-(T)033	M18*2.5	200L	3324	3534	3324	3534
34	C17-(T)034	C20-(T)034	M20*2.5	150L	3215	3422	3215	3422
35	C17-(T)035	C20-(T)035	M20*2.5	200L	4232	4485	4232	4485
36	C17-(T)036	C20-(T)036	M24*3.0	150L	5717	5970	5717	5970
37	C17-(T)037	C20-(T)037	M24*3.0	200L	5950	6256	5950	6256



www.chillyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信

REGAL 粉末螺旋絲攻、先端絲攻 (藍環區分)



多用途先端絲攻



多用途螺旋絲攻

材質: HSS-PM

頁次	訂購編號 (無藍)	訂購編號 (先端)	規格	螺旋絲攻SFT		先端絲攻PT	
				建議售價(白刀)	建議售價(鍍鈹)	建議售價(白刀)	建議售價(鍍鈹)
1	C22-(T)001	C23-(T)001	M1.2*0.25	X	X	680	735
2	C22-(T)002	C23-(T)002	M1.4*0.3	X	X	560	615
3	C22-(T)003	C23-(T)003	M1.6*0.35	X	X	500	555
4	C22-(T)004	C23-(T)004	M1.7*0.35	X	X	460	515
5	C22-(T)005	C23-(T)005	M1.8*0.35	X	X	460	515
6	C22-(T)006	C23-(T)006	M2*0.4	408	455	400	447
7	C22-(T)007	C23-(T)007	M2.3*0.4	416	463	405	452
8	C22-(T)008	C23-(T)008	M2.5*0.45	373	420	366	413
9	C22-(T)009	C23-(T)009	M2.6*0.45	330	377	323	370
10	C22-(T)010	C23-(T)010	M3*0.5	300	347	275	322
11	C22-(T)011	C23-(T)011	M3.5*0.6	316	363	292	339
12	C22-(T)012	C23-(T)012	M4*0.7	283	330	258	305
13	C22-(T)013	C23-(T)013	M5*0.8	296	343	266	313
14	C22-(T)014	C23-(T)014	M6*1.0	316	363	283	330
15	C22-(T)015	C23-(T)015	M7*1.0	433	503	405	452
16	C22-(T)016	C23-(T)016	M8*1.0	495	565	459	529
17	C22-(T)017	C23-(T)017	M8*1.25	442	512	405	475
18	C22-(T)018	C23-(T)018	M10*1.0	600	682	541	623
19	C22-(T)019	C23-(T)019	M10*1.25	600	682	541	623
20	C22-(T)020	C23-(T)020	M10*1.5	600	682	541	623
21	C22-(T)021	C23-(T)021	M12*1.0	866	959	816	909
22	C22-(T)022	C23-(T)022	M12*1.25	866	959	816	909
23	C22-(T)023	C23-(T)023	M12*1.5	866	959	816	909
24	C22-(T)024	C23-(T)024	M12*1.75	800	893	75	843
25	C22-(T)025	C23-(T)025	M14*1.0	988	1104	942	1058
26	C22-(T)026	C23-(T)026	M14*1.5	988	1104	942	1058
27	C22-(T)027	C23-(T)027	M14*2.0	988	1104	942	1058
28	C22-(T)028	C23-(T)028	M16*1.0	1495	1639	1370	1514
29	C22-(T)029	C23-(T)029	M16*1.5	1150	1294	1025	1169
30	C22-(T)030	C23-(T)030	M16*2.0	1150	1294	1025	1169
31	C22-(T)031	C23-(T)031	M18*1.0	2220	2399	2036	2215
32	C22-(T)032	C23-(T)032	M18*1.5	1440	1619	1256	1435
33	C22-(T)033	C23-(T)033	M18*2.0	1640	1819	1456	1635
34	C22-(T)034	C23-(T)034	M18*2.5	1440	1619	1256	1435
35	C22-(T)035	C23-(T)035	M20*1.0	2178	2411	1945	2178

絲攻銼牙系列



絲攻銑牙系列

[illegible]



奇力揚有限公司

專業 / 技術 / 服務 / 誠信

絲攻銑牙系列

[illegible]



www.chillyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信

**REGAL 粉末螺旋絲攻、先端絲攻 (藍環區分)**

絲攻銑牙系列



多用途先端絲攻



多用途螺旋絲攻

材質：HSS-PM

頁次	訂購編號	規格	螺旋絲攻SFT		先端絲攻POT	
			建議售價(白刀)	建議售價(鍍鈦)	建議售價(白刀)	建議售價(鍍鈦)
1	C24-001	UNC2-56	385	430	352	397
2	C24-002	UNC3-48	330	376	305	350
3	C24-003	UNC4-40	310	356	285	330
4	C24-004	UNC5-40	304	350	280	326
5	C24-005	UNC6-32	304	350	280	326
6	C24-006	UNC8-32	315	368	290	343
7	C24-007	UNC10-24	315	373	290	348
8	C24-008	UNC12-24	315	373	290	348
9	C24-009	UNC1/4-20	350	408	318	376
10	C24-010	UNC5/16-18	400	470	368	438
11	C24-011	UNC3/8-16	500	582	462	544
12	C24-012	UNC7/16-14	740	857	700	817
13	C24-013	UNC1/2-13	920	1037	862	979
14	C24-014	UNC5/8-11	1370	1539	1310	1479
15	C24-015	UNC3/4-10	2020	2246	1960	2186
16	C24-016	UNC7/8-9	2820	3088	2760	3028
17	C24-017	UNC1"-8	3780	4130	3720	4070
18	C25-001	UNF2-64	385	430	352	397
19	C25-002	UNF3-56	330	376	305	350
20	C25-003	UNF4-48	310	356	285	330
21	C25-004	UNF5-44	304	350	280	326
22	C25-005	UNF6-40	304	350	280	326
23	C25-006	UNF8-36	315	368	290	343
24	C25-007	UNF10-32	315	373	290	348
25	C25-008	UNF12-28	315	373	290	348
26	C25-009	UNF1/4-28	350	408	318	376
27	C25-010	UNF5/16-24	400	470	368	438
28	C25-011	UNF3/8-24	500	582	462	544
29	C25-012	UNF7/16-20	740	857	700	817
30	C25-013	UNF1/2-20	920	1037	862	979
31	C25-014	UNF9/16-18	1370	1539	1310	1479
32	C25-015	UNF5/8-18	1370	1539	1310	1479
33	C25-016	UNF3/4-16	2020	2246	1960	2186
34	C25-017	UNF7/8-14	2820	3088	2760	3028
35	C25-018	UNF1"-12	3780	4130	3720	4070