



鎢鋼抗震刀桿



1. 使用真正高級鎢鋼材質製成，精度高，不會因橫向動力過大，而扭曲變形。
2. 一體成型，鋼性優異，沒有焊接處斷裂之虞慮。
3. 提升工件表面粗度，且降低刀具磨耗，節省刀具成本。
4. 強調刀頭之可換性，縱使刀頭損毀，也只需更換刀頭即可在使用。

項次	訂購編號	訂購編號	Flg	L	M	D2	D	D1	L1	a°	備註	牌價
1	F01-001	GL08-08-080-M03	1	60	M3*0.5	3.5	6	6			*	1,150
2	F01-002	GL08-08-120-M03	1	120	M3*0.5	3.5	6	6			*	1,200
3	F01-003	GL08-08-060-M04	1	60	M4*0.7	4.5	8	8			*	1,200
4	F01-004	GL08-08-100-M04	1	100	M4*0.7	4.5	8	8			*	1,300
5	F01-005	GL08-08-120-M04	1	120	M4*0.7	4.5	8	8			*	1,420
6	F01-006	GL08-10-150-M04-DT60*	2	150	M4*0.7	4.5	10	7.8	60	1°	*	2,000
7	F01-007	GL10-10-075-M05	1	75	M5*0.8	5.5	10	10			*	1,250
8	F01-008	GL10-10-100-M05	1	100	M5*0.8	5.5	10	10				1,300
9	F01-009	GL10-10-150-M05	1	150	M5*0.8	5.5	10	10				1,600
10	F01-010	GL10-12-150-M05-DT60*	2	150	M5*0.8	5.5	12	9.8	60	1°	*	2,350
11	F01-011	GL10-20-300-M05-DT135*	2	300	M5*0.8	5.5	20	9.8	135	2.15°	*	11,900
12	F01-012	GL12-12-075-M06	1	75	M6*1.0	6.5	12	12			*	1,450
13	F01-013	GL12-12-100-M06	1	100	M6*1.0	6.5	12	12				1,450
14	F01-014	GL12-12-150-M06	1	150	M6*1.0	6.5	12	12				1,900
15	F01-015	GL12-12-200-M06	1	200	M6*1.0	6.5	12	12				2,600
16	F01-016	GL12-16-150-M06-DT70*	2	150	M6*1.0	6.5	16	11.8	70	1.65°	*	3,930
17	F01-017	GL12-16-200-M06-DT90*	2	200	M6*1.0	6.5	16	11.8	90	1.3°	*	4,930
18	F01-018	GL12-16-250-M06-DT115	2	250	M6*1.0	6.5	16	11.8	115	1°	*	6,200
19	F01-019	GL12-20-300-M06-DT135*	2	300	M6*1.0	6.5	20	11.8	135	1.7°	*	11,900
20	F01-020	GL16-16-100-M08	1	100	M8*1.25	8.5	16	16				2,280
21	F01-021	GL16-16-150-M08	1	150	M8*1.25	8.5	16	16				3,000
22	F01-022	GL16-16-200-M08	1	200	M8*1.25	8.5	16	16				3,700
23	F01-023	GL16-16-250-M08	1	250	M8*1.25	8.5	16	16				4,600
24	F01-024	GL16-20-200-M08-DT90*	2	200	M8*1.25	8.5	20	15.5	90	1.6°	*	7,100
25	F01-025	GL16-20-250-M08-DT115*	2	250	M8*1.25	8.5	20	15.5	115	1.25°	*	9,300
26	F01-026	GL16-20-300-M08-DT135*	2	300	M8*1.25	8.5	20	15.5	135	1.1°	*	11,800
27	F01-027	GL20-20-100-M10	1	100	M10*1.5	10.5	20	20				3,000
28	F01-028	GL20-20-150-M10	1	150	M10*1.5	10.5	20	20				4,300
29	F01-029	GL20-20-200-M10	1	200	M10*1.5	10.5	20	20				5,450
30	F01-030	GL20-20-250-M10	1	250	M10*1.5	10.5	20	20				6,600
31	F01-031	GL20-20-300-M10	1	300	M10*1.5	10.5	20	20				8,100
32	F01-032	GL20-20-400-M10	1	400	M10*1.5	10.5	20	20			*	12,690
33	F01-033	GL20-25-200-M10-DT90*	2	200	M10*1.5	10.5	25	19.8	90	1.6°	*	10,600
34	F01-034	GL20-25-250-M10-DT115*	2	250	M10*1.5	10.5	25	19.8	115	1.25°	*	1,300
35	F01-035	GL20-25-300-M10-DT135*	2	300	M10*1.5	10.5	25	19.8	135	1.1°	*	1,600



奇力揚有限公司

專業 / 技術 / 服務 / 誠信

PAGE 95



www.chillyang.com.tw


奇力揚有限公司

專業 / 技術 / 服務 / 誠信




鎢鋼後拉刀桿

捨棄式刀具系列



項次		品號	L	L1	D	D1	a°	Flg	牌價
1	F02-001	HC4-08-C08-100L	60		8	8		1	3,000
2	F02-002	HC4-10-C10-100L	120		10	10		1	3,500
3	F02-003	HC4-10-C10-150L	60		10	10		1	4,000
4	F02-004	HC4-08-C10-150L-DT40°	100		8	10	1.5°	2	
5	F02-005	HC4-10-C12-150L-DT60	120	60	12	10	1°	2	4,800
6	F02-006	HC4-10-C18-200L-DT100	150	100	16	10	1.8°	2	7,800
7	F02-007	HC6-12-C12-100L	75		12	12		1	4,000
8	F02-008	HC6-12-C12-150L	100		12	12		1	4,500
9	F02-009	HC6-12.8-C16-150L-DT60	150	60	16	12.8	1.7°	2	6,500
10	F02-010	HC6-12.8-C16-200L-DT90	150	90	16	12.8	1.2°	2	7,800
11	F02-011	HC6-12.8-C20-250L-DT110	300	110	20	12.8	1.9°	2	13,200
12	F02-012	HUC10-20-C20-150L	75		20	20		1	10,600
13	F02-013	HUC10-20-C20-200L	100		20	20		1	12,200
14	F02-014	HUC10-23-C25-250L-DT120	150	120	25	23	0.5°	2	17,100
15	F02-015	HUC10-23-C25-300L-DT120	200	120	25	23	0.5°	2	20,500



項次		品號	Collet	L	D	Ød	Flg	牌價
1	F01-001	HC4-3	HC4	31	7	φ3, 4	2	850
2	F01-002	HC4-4	HC4	31	7	φ3, 4	2	850
3	F01-003	HC6-3	HC6	36	9.6	φ3, 4, 6	2	850
4	F01-004	HC6-4	HC6	36	9.6	φ3, 4, 6	2	850
5	F01-005	HC6-6	HC6	36	9.6	φ3, 4, 6	2	850
6	F01-006	HUC10-3*	HUC10	56.5	15	φ3, 4, 6, 8, 10	1	1,100
7	F01-007	HUC10-4*	HUC10	56.5	15	φ3, 4, 6, 8, 10	1	1,100
8	F01-008	HUC10-6	HUC10	56.5	15	φ3, 4, 6, 8, 10	1	1,100
9	F01-009	HUC10-8	HUC10	56.5	15	φ3, 4, 6, 8, 10	1	1,100
10	F01-010	HUC10-10	HUC10	56.5	15	φ3, 4, 6, 8, 10	1	1,100

HDC4-08-100L



HDC4-3



HDC4-4



HDC4-10-150L

HDC4-12-150L

HDC4-12-200L



HDC6-12-150L




HDC6-16-150L

HDC6-16-200L


HDC6-20-250L




HDC6-3



HDC6-4



HDC6-6





www.chillyang.com.tw


奇力揚有限公司

專業 / 技術 / 服務 / 誠信



XD 刀桿系列


捨棄式刀具系列



項次	訂購編號	品名規格	建議售價
1	E52-001	XD07-101-D10-150W	
2	E52-002	XD07-122-D10-085W	1,400
3	E52-003	XD07-142-D12-120W	
4	E52-004	XD07-163-D16-120W	1,750
5	E52-005	XD07-174-D16-150L	
6	E52-006	XD07-215-D20-150L	
7	E52-007	XD07-266-S25-150L	
8	E52-008	XD07-338-S32-150L	
9	E52-009	XD11-162-D16-120L	1,200
10	E52-010	XD11-172-D16-150T	1,300

項次	訂購編號	品名規格	建議售價
11	E52-011	XD11-172-D16-200W	1,700
12	E52-012	XD11-182-D16-120W	
13	E52-013	XD11-203-D20-120W	4,350
14	E52-014	XD11-213-D20-200T	1,650
15	E52-015	XD11-254-D25-130W	1,800
16	E52-016	XD11-264-D25-150W	1,450
17	E52-017	XD11-264-D25-200W	2,050
18	E52-018	XD11-325-D32-130W	2,000
19	E52-019	XD11-335-D32-200T	2,650

XD 刀頭系列



項次	訂購編號	品名規格	建議售價
1	E52-030	XD07-111-M05	
2	E52-031	XD07-132-M06	
3	E52-032	XD07-174-M08	
4	E52-033	XD07-215-M10	
5	E52-034	XD07-266-M12	

項次	訂購編號	品名規格	建議售價
6	E52-035	XD07-338-M16	
7	E52-036	XD11-172-M08	
8	E52-037	XD11-213-M10	
9	E52-038	XD11-264-M12	
10	E52-039	XD11-335-M16	





奇力揚有限公司

專業 / 技術 / 服務 / 誠信


項次	訂購編號	品名規格	建議售價
1	E52-051	XD11-404-25.4	1,900
2	E52-052	XD11-505-25.4	2,150
3	E52-053	XD11-636-25.4	2,600
4	E52-054	XD11-806-25.4	3,100
5	E52-055	XD11-1008-31.75	4,000

捨棄式刀具系列



PAGE 103

**HFC 高進給銑刀盤**

項次	訂購編號	品名規格	建議售價
1	E54-041	XL09-505-22	2,000
2	E54-042	XL09-505-25.4	2,000
3	E54-043	XL09-636-22	
4	E54-044	XL09-636-25.4	
5	E54-045	XL09-807-27	
6	E54-046	XL09-807-25.4	
7	E54-047	XL09-1008-32	
8	E54-048	XL09-1008-31.75	
9	E54-049	XL12-504-25.4	
10	E54-050	XL12-635-25.4	
11	E54-051	XL12-807-25.4	

HFC 高進給鎖刀頭

項次	訂購編號	品名規格	建議售價
1	E54-021	XL06-172-M08	1,300
2	E54-022	XL06-213-M10	1,550
3	E54-023	XL06-264-M12	2,150
4	E54-024	XL06-335-M16	2,550
5	E54-025	XL09-263-M12	1,700
6	E54-026	XL09-353-M16	2,350

HFC 高進給銑刀桿

項次	訂購編號	品名規格	建議售價
1	E54-001	XL06-162-D16-150W	1,400
2	E54-002	XL06-203-D20-150W	1,400
3	E54-003	XL06-254-D25-150W	
4	E54-004	XL06-325-D32-150W	
5	E54-005	XL09-253-D25-130W	1,650
6	E54-006	XL09-263-D25-150W	2,100
7	E54-007	XL09-323-D32-130W	1,800
8	E54-008	XL09-404-D32-150W	1,900




www.chllyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信


SD 銑刀盤



項次	訂購編號	品名規格	建議售價
1	E53-021	SD09-405-16	
2	E53-022	SD09-506-22	2,250
3	E53-023	SD09-506-25.4	2,250
4	E53-024	SD09-637-22	
5	E53-025	SD09-637-25.4	2,350
6	E53-026	SD09-806-25.4	3,100
7	E53-027	SD09-809-22	
8	E53-028	SD09-809-25.4	3,450
9	E53-029	SD09-10010-32	4,000
10	E53-030	SD09-10010-31.75	4,450
11	E53-031	SD09-12508-38.1	5,900
12	E53-032	SD09-16012-50.8	10,800

捨棄式刀具系列

SD 銑刀桿



項次	訂購編號	品名規格	建議售價
1	E53-001	SD09-253-25D-130W	1,800
2	E53-002	SD09-263-D25-120W	
3	E53-003	SD09-263-D25-150W	1,700
4	E53-004	SD09-263-D25-200W	
5	E53-005	SD09-324-D32-130W	1,800
6	E53-006	SD09-405-D32-150W	1,900




www.chillyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信





HAR 圓刃銑刀盤



Ø50 / Ø63 / Ø66 / Ø80

Ø100



Item code	Dimensions,mm				Teeth	Insert	Screw	Wrench	Clamp	Screw	Wrench
	D	d	L	M							
1, 650 RM-5R504-22.0	50	22.0	50	11	4	RD..10T3	MS4009B	TF15	MC35-141	MS3509A	TF15
1, 650 RM-5R504-25.4		25.4	50	13	4						
1, 700 RM-5R635-25.4	63	25.4	50	13	5						
1, 700 RM-5R806-25.4	80	25.4	50	13	6						
1, 650 RM-6R504-22.0	50	22.0	50	11	4	RD..1204	MS4011A	TF15	MC35-141	MS3509A	TF15
1, 650 RM-6R504-25.4		25.4	50	13	4						
1, 900 RM-6R635-25.4	63	25.4	50	13	5						
2, 000 RM-6R635-27.0		27.0									
1, 800 RM-6R665-25.4	66	25.4	50	13	5						
2, 550 RM-6R806-25.4	80	25.4	50	13	6						
2, 550 RM-6R805-27.0		27.0	50	13	5						
2, 550 RM-6R806-27.0		27.0	50	13	6						
1, 650 RM-8R633-25.4	63	25.4	50	13	3	RD..1604	MS5011A	TF20	MC50-147	MS5011A	TF20
1, 650 RM-8R634-25.4		25.4	50	13	4						
2, 000 RM-8R635-25.4		25.4	50	13	5						
2, 000 RM-8R635-27.0		27.0	50	13	5						
2, 250 RM-8R664-25.4	66	25.4	50	13	4						
2, 000 RM-8R665-25.4		25.4	50	13	5						
1, 800 RM-8R664-27.0		27.0	50	13	4						
2, 000 RM-8R665-27.0		27.0	50	13	5						
2, 000 RM-8R805-25.4	80	25.4	55	13	5						
2, 000 RM-8R805-27.0		27.0	55	13	5						
2, 700 RM-8R806-27.0		27.0	55	13	6						
2, 700 RM-8R1006-31.75	100	31.75	60	45	6						
1, 650 RPM-6R504-22.0	50	22.0	50	11	4	RP..1204	MS4011A	TF15	MC35-141	MS3509A	TF15
1, 650 RPM-6R504-25.4	50	25.4	50	13	4						
1, 800 RPM-6R635-25.4	63	25.4	50	13	5						
1, 800 RPM-6R665-25.4	66	25.4	50	13	5						
2, 350 RPM-6R806-25.4	80	25.4	55	13	6						




www.chillyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信


HAR 圓刃銑刀頭



R角加工



曲面加工



平面加工

捨棄式刀具系列

	Item code	Dimensions,mm				Teeth	Insert	Screw 	Wrench 	Screw 	Clamp 	Wrench 			
		D	d	L	M										
1, 100	HAR08-162-MD14	16	8.5	23	M8	2	RD..0802	MS3006B	TF9	—	—	—			
1, 000	HAR08-172-MD14	17	10.5	30	M10					MS3509A	MC35-141	TF15			
1, 250	HAR08-202-MD18	20													
1, 250	HAR08-212-MD18	21													
1, 400	HAR10-252-MD23	25	12.5	35	M12	2	RD..10T3	MS4009B	TF15	MS3509A	MC35-141	TF15			
1, 450	HAR10-253-MD23					3				—	—	—			
1, 400	HAR10-262-MD23	26				2				RD..10T3	MS4009B	TF15	MS3509A	MC35-141	TF15
1, 300	HAR10-263-MD23					3				—	—	—			
1, 750	HAR10-302-MD29	30	17	43	M16	2	RD..10T3	MS4009B	TF15	MS3509A	MC35-141	TF15			
1, 950	HAR10-323-MD29	32	17	43	M16	3									
2, 000	HAR10-353-MD29	35													
1, 350	RP103-202-MD18	20	10.5	30	M10	2	RP..1003	MS4009A	TF15	—	—	—			
1, 350	RP103-212-MD18	21													
1, 500	RP103-252-MD23	25	12.5	35	M12	2	RP..1003	MS4009A	TF15	MS3509A	MC35-141	TF15			
1, 500	RP103-262-MD23	26											3		
2, 100	RP103-303-MD23	30				3								MS4011A	
2, 100	RP103-353-MD29	35											17		43

Description	GRADE材質			Insert Shape	Dimensions,mm		
	CY250	LCP30	Nx2525		lc	S	d1
RDMT0802MOTN	●				8.0	2.38	3.4
RDMT10T3MOTN	●				10.0	3.97	4.5
RDMX1204MOTN					12.0	4.76	4.5
RDMX1604MOTN	●				16.0	4.76	5.5
RPMW1003MO		●			10.0	3.18	4.5
RDMT1204MOSN		●			12.0	4.76	4.5



www.chillyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信

RD 圓刃銑刀盤




R角加工



曲面加工



平面加工



捨棄式刀具系列

	Item code	Dimensions,mm				Teeth	Insert	Screw 	Wrench 
		D	d	L	L1				
1, 100K	RD051-D092-S08-100	9	8	100	12	2	RD..0501..	MS2004A	TF6
1, 200K	RD051-D102-S10-100	10	10	100	18	2			
1, 100	RD051-D112-S10-100	11	10	100	15	2			
1, 100	RD051-D122-S12-100	12	12	100	22	2		MS2005A	TF6
1, 300	RD051-D123-S12-100					3			
1, 100K	RD051-D132-S12-100	13	12	100	18	2			
1, 300K	RD051-D133-S12-100					3			
1, 700	RD051-D164-S16-150	16	16	150	30	4			
1, 900	RD051-D164-S16-200			200					
1, 700	RD051-D174-S16-150	17	16	150	20	4			
1, 900	RD051-D174-S16-200			200					
1, 350	RD07T-D122-S12-120	12	12	120	35	2	RD..07T1..	MS2206C	TF7
1, 600	RD07T-D122-S16-120		16	120	35	2			
1, 100	RD072-D162-S16-150	16	16	150	35	2	RD..0702..	MS2506B	TF9
1, 300	RD072-D162-S16-200			200					
1, 100	RD072-D172-S16-150	17	16	150	20	2			
1, 300	RD072-D172-S16-200			200					
1, 450	RD072-D203-S20-150	20	20	150	35	3			
1, 650	RD072-D203-S20-200			200					
1, 450	RD072-D213-S20-150	21	20	150	25	3			
1, 650	RD072-D213-S20-200			200					
1, 800	RD072-D254-S25-150	25	25	150	40	4			
2, 010	RD072-D254-S25-200			200					
2, 250	RD072-D254-S25-250			250					
2, 450	RD072-D254-S25-300			300					
2, 010	RD072-D255-S25-150	25	25	150	40	5			
2, 250	RD072-D255-S25-200			200					
2, 450	RD072-D255-S25-250			250					
2, 650	RD072-D255-S25-300			300					
1, 700	RD072-D264-S25-150	26	25	150	25	4			
1, 900	RD072-D264-S25-200			200					
2, 250	RD072-D264-S25-250			250					
2, 450	RD072-D264-S25-300			300					
1, 800	RD072-D265-S25-150	26	25	150	25	5			
2, 250	RD072-D265-S25-200			200					
2, 450	RD072-D265-S25-250			250					
2, 650	RD072-D265-S25-300			300					
2, 200	RD072-D355-S32-150	35	32	150	30	5			
2, 250	RD072-D355-S32-200			200					
2, 850	RD072-D355-S32-250			250					
3, 250	RD072-D355-S32-300			300					
2, 400	RD072-D356-S32-150	35	32	150	30	6			
2, 750	RD072-D356-S32-200			200					
3, 050	RD072-D356-S32-250			250					



www.chillyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信



RD 圓刃銑刀桿





R角加工



曲面加工



平面加工



捨棄式刀具系列

Item code	Dimensions,mm				Teeth	Insert	Screw	Clamp	Screw	Wrench
	D	d	L	L1						
1,200 RD103-D202-S20-150	20	20	150	40	2	RD..1003..	MS3507A	-	-	TF15
1,400 RD103-D202-S20-200			200							
1,200 RD103-D212-S20-150	21	20	150	25	2					
1,400 RD103-D212-S20-200			200							
1,500 RD103-D253-S25-150	25	25	150	40	3					
1,700 RD103-D253-S25-200			200							
1,900 RD103-D253-S25-250			250							
1,500 RD103-D263-S25-150	26	25	150	25	3					
1,700 RD103-D263-S25-200			200							
1,900 RD103-D263-S25-250			250							
2,100 RD103-D263-S25-300			300			RD..1003..	MS3509B	-	-	TF15
1,700 RD103-D303-S25-150	30	25	150	25	3					
1,900 RD103-D303-S25-200			200							
2,100 RD103-D303-S25-250			250							
1,800 RD103-D323-S32-150	32	32	150	40	3	RD..1003..	MS3509B	MC35141	MS3509A	TF15
2,000 RD103-D323-S32-200			200							
2,400 RD103-D323-S32-250			250							
2,400 RD103-D323-S32-300			300							
1,750 RD103-D353-S32-150	35	32	150	40	3	RD..1003..	MS3509B	MC35141	MS3509A	TF15
1,800 RD103-D353-S32-200			200							
2,300 RD103-D353-S32-250			250							
2,500 RD103-D353-S32-300			300							
1,700 RD103-D354-S32-150	35	32	150	40	4	RD..1003..	MS3509B	MC35141	MS3509A	TF15
2,300 RD103-D354-S32-200			200							
2,400 RD103-D354-S32-250			250							
2,700 RD103-D354-S32-300			300							

Description	GRADE材質		Insert Shape	Dimensions,mm	
	KR15	AH120		lc	S
RDHW 0501 MO EN-91	●			5.0	1.50
RDHW 07T1 MO EN-91	●			7.0	1.99
RDHW 0702 MO EN-91				7.0	2.38
RDMW 0702 MO EN-91	●				
RDMW 0702 MO EN		●			
RDMW 1003 MO EN		●			
				10.0	3.18



www.chllyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信

RD 圓刃銑刀頭



FIG-1





FIG-2



R角加工



曲面加工



平面加工

捨棄式刀具系列

FIG-1 Item code	Dimensions,mm				Teeth	Insert	Screw	Clamp	Screw	Wrench
	D	d	L	M						
1.000 RD051-D092-MD08	9	4.5	15	M4	2	RD..0501..	MS2004A	—	—	TF6
1.000 RD051-D102-MD10	10	5.5	16	M5	2					
1.000 RD051-D112-MD10	11	5.5	18	M5	2					
1.000 RD051-D122-MD11	12	6.5	18	M6	2		MS2005A	—	—	TF6
1.100 RD051-D123-MD11					3					
1.000 RD051-D132-MD11	13	6.5	18	M6	2					
1.100 RD051-D133-MD11					3					
1.400 RD051-D164-MD14	16	8.5	23	M8	4					
1.000 RD051-D174-MD14	17	8.5	23	M8	4					
1.400 RD07T-D122-MD14	12	8.5	23	M8	2	RD..07T1..	MS2206C	—	—	TF7
1.080 RD072-D162-MD14	16	8.5	23	M8	2	RD..0702..	MS2506B	—	—	TF9
1.080 RD072-D163-MD14					3					
1.000 RD072-D172-MD14	17	8.5	23	M8	2					
1.180 RD072-D173-MD14					3					
1.250 RD072-D203-MD18	20	10.5	30	M10	3					
1.100 RD072-D212-MD18	21	10.5	30	M10	2					
1.100 RD072-D213-MD18					3					
1.450 RD072-D254-MD23	25	12.5	35	M12	4					
1.700 RD072-D255-MD23					5					
1.450 RD072-D264-MD23	26	12.5	35	M12	4					
1.700 RD072-D265-MD23					5					
1.900 RD072-D355-MD29	35	17	43	M16	5					
2.100 RD072-D356-MD29					6					
1.000 RD103-D202-MD18	20	10.5	30	M10	2	RD..1003..	MS3507A	—	—	TF15
1.000 RD103-D212-MD18	21									
1.250 RD103-D253-MD23	25	12.5	35	M12	3					
1.250 RD103-D263-MD23	26									
1.750 RD103-D303-MD23	30	12.5	35	M12	3					
1.750 RD103-D323-MD29	32	17	43	M16	3	RD..1003..	MS3507A	MC35141	MS3509A	TF15
1.750 RD103-D353-MD29	35	17	43	M16	3	RD..1003..	MS3507A	MC35141	MS3509A	TF15
2.050 RD103-D354-MD29					4					

FIG-2 Item code	Dimensions,mm				Teeth	Insert	Screw	Clamp	Screw	Wrench
	D	d	L	M						
1.750 RD103-D504-22.0	50	22.0	40	11	4	RD..1003..	MS3509B	MC35141	MS3509A	TF15
2.050 RD103-D505-22.0	50				5					
2.050 RD103-D504-25.4	50	25.4	40	11	4					
2.050 RD103-D505-25.4					5					
2.200 RD103-D635-25.4	63	25.4	50	13	5					
2.500 RD103-D636-25.4	63				6					



www.chillyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信



RT 直角端銑刀桿



斜向加工




溝加工



側面加工



平面加工



Item code	Dimensions,mm				Teeth	Insert	Screw	Wrench
	D	d	L	L1				
1,000K RT07-D061-S10-100	6	10	100	30	1	RT 07 02 04R81	MS2004A	TF6
1,000K RT07-D081-S10-100	8	10	100	30	1			
1,100K RT07-D102-S10-150	10	10	150	25	2			
1,100K RT07-D112-S10-150	11	10	150	20	2			
1,100K RT07-D122-S12-150	12	12	150	30	2			
1,100K RT07-D132-S12-150	13	12	150	20	2			
1,800K RT07-D163-S16-150	16	16	150	30	3		MS2005A	TF6
2,100K RT07-D163-S16-200			200					
1,800K RT07-D173-S16-150	17	16	150	25	3			
1,550 RT07-D173-S16-200			200					
1,800K RT07-D204-S20-150	20	20	150	30	4			
2,200K RT07-D204-S20-200			200					
1,100 RT10-D162-S16-150	16	16	150	30	2	RT 10 03....	MS2506B	TF9
1,350 RT10-D162-S16-200			200					
1,650K RT10-D172-S16-150	17	16	150	25	2			
1,350 RT10-D172-S16-200			200					
1,400 RT10-D202-S20-150	20	20	150	30	2			
1,600 RT10-D202-S20-200			200					
1,400 RT10-D203-S20-150		20	150	30	3			
1,600 RT10-D203-S20-200			200					
1,400 RT10-D212-S20-150	21	20	150	25	2			
1,550 RT10-D212-S20-200			200					
1,400 RT10-D213-S20-150		20	150	25	3			
2,200K RT10-D213-S20-200			200					
1,500 RT10-D252-S25-150	25	25	150	40	2			
1,650 RT10-D252-S25-200			200					
1,500 RT10-D253-S25-150		25	150	40	3			
1,650 RT10-D253-S25-200			200					
1,450 RT10-D262-S25-150	26	25	150	25	2			
2,600K RT10-D262-S25-200			200					
1,500 RT10-D263-S25-150		25	150	25	3			
2,700K RT10-D263-S25-200			200					
2,000 RT10-D324-S32-150	32	32	150	40	4			
2,250 RT10-D324-S32-200			200					
2,250 RT10-D325-S32-150		32	150	40	5			
2,250 RT10-D325-S32-200			200					
1,800 RT10-D334-S32-150	33	32	150	35	4			
2,250 RT10-D334-S32-200			200					
2,250 RT10-D335-S32-150		32	150	35	5			
2,500 RT10-D335-S32-200			200					
2,000 RT10-D354-S32-150	35	32	150	35	4			
2,250 RT10-D354-S32-200			200					
2,250 RT10-D355-S32-150		32	150	35	5			
2,500 RT10-D355-S32-200			200					



www.chillyang.com.tw


奇力揚有限公司

專業 / 技術 / 服務 / 誠信

RT 直角端銑刀盤/頭



FIG-1



斜向加工



溝加工




側面加工



平面加工



FIG-2



捨棄式刀具系列

FIG-1 Item code	Dimensions,mm				Teeth	Insert	Screw	Wrench
	D	d	L	M				
1,050 RT07-D102-MD10	10	5.5	18	M5	2	RT 07 02 04R81	MS2004A	TF6
1,000 RT07-D112-MD10	11							
1,000 RT07-D122-MD11	12	6.5	20	M6	2			
1,000 RT07-D132-MD11	13							
1,100 RT07-D163-MD14	16	8.5	23	M8	3			
1,200 RT07-D173-MD14	17							
1,400 RT07-D204-MD18	20	10.5	30	M10	4	RT 10 03....	MS2506B	TF9
1,400 RT07-D214-MD18	21							
1,050 RT10-D162-MD14	16	8.5	30	M8	2			
1,000 RT10-D172-MD14	17							
1,100 RT10-D202-MD18	20	10.5	30	M10	2			
1,100 RT10-D203-MD18	20	10.5	30	M10	3			
1,100 RT10-D212-MD18	21	10.5	30	M10	2			
1,100 RT10-D213-MD18	21	10.5	30	M10	3			
1,250 RT10-D253-MD23	25	12.5	35	M12	3			
1,250 RT10-D263-MD23	26							
1,750 RT10-D324-MD29	32	17	43	M16	4			
1,950 RT10-D325-MD29	32	17	43	M16	5			
1,750 RT10-D334-MD29	33	17	43	M16	4			
1,950 RT10-D335-MD29	33	17	43	M16	5			
2,100 RT10-D354-MD29	35	17	43	M16	4			
1,950 RT10-D355-MD29	35	17	43	M16	5			

FIG-2 Item code	Dimensions,mm				Teeth	Insert	Screw	Wrench
	D	d	L	M				
1,900 RT10-D504-22.0	50	22.0	50	11	4	RT 10 03....	MS2508B	TF9
2,350 RT10-D506-22.0	50	22.0	50	11	6			
2,150 RT10-D634-25.4	63	25.4	50	13	4			
2,550 RT10-D636-25.4	63	25.4	50	13	6			
2,310 RT10-D664-25.4	63	25.4	50	13	4			
2,550 RT10-D666-25.4	63	25.4	50	13	6			

Description	GRADE材質		Insert Shape	Dimensions,mm				
	5020	KX15		D	S	M	E	W
RT070204 R-81	●	●		4.3	2.38	2.64	1.5	1.3
RT100304 R-81	●	●		6.35	3.4	3.94	2.1	1.8
RT100304 R-31				6.35	3.4	3.94	2.1	1.8
RT100308 R-31		●		6.35	3.4	3.94	2.1	1.8




www.chliyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信

APM 直角端銑刀頭



溝加工



側面加工



平面加工

捨棄式刀具系列

Item code	Dimensions,mm				Teeth	Insert	Screw	Wrench
	D	d	L	M				
1, 100 APM162-MD14	16	8.5	25	M8	2	AOMT-1236..	MS2506B	TF9
1, 100 APM172-MD14	17							
1, 200 APM202-MD18								
1, 400 APM203-MD18	20	10.5	30	M10	2			
1, 200 APM212-MD18	20				3			
1, 600 APM253-MD23	21				2			
2, 000 APM254-MD23	25	12.5	35	M12	3			
1, 450 APM263-MD23					4			
1, 600 APM264-MD23	26				3			
1, 900 APM323-MD29		17	43	M16	4			
2, 100 APM324-MD29	32				3			
1, 900 APM333-MD29					4			
2, 100 APM334-MD29	33	17	43	M16	3			
1, 900 APM353-MD29					4			
2, 100 APM354-MD29	35				3			

Description	GRADE材質	Insert Shape	Dimensions,mm			
	VP15TF		A	B	S	r
AOMT123604PEER-M	●		12	6.6	3.6	4.0



www.chillyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信



BAP 直角端銑刀桿





溝加工



側面加工



平面加工



捨棄式刀具系列

	Item code	Dimensions,mm				Teeth	Insert	Screw 	Wrench 		
		D	d	L	L1						
1. 400	BAP3-15.5-S16-100	15.5	16	100	28	2	APMT1135....	MS2506E	TF8		
1. 100	BAP3-162-S16-100	16	16	100	28	2					
1. 050	BAP3-162-S16-150			150							
1. 050	BAP3-172-S16-150	17	16	150	20	2					
1. 200	BAP3-172-S16-200			200							
1. 000	BAP3-182-S20-100	18	20	100	28	2					
1. 050	BAP3-182-S20-150			150							
1. 000	BAP3-202-S20-100	20	20	100	28	2					
1. 050	BAP3-202-S20-150			150							
1. 200	BAP3-202-S20-200			200							
1. 250	BAP3-203-S20-150			150							
1. 400	BAP3-203-S20-200			200		3					
1. 050	BAP3-212-S20-150			21		20				150	25
1. 200	BAP3-212-S20-200	200									
1. 250	BAP3-213-S20-150	150	3								
1. 400	BAP3-213-S20-200	200									
1. 400	BAP3-243-S20-125	24	25	125	35	3					
1. 400	BAP3-253-S25-150	25	25	150	35	3					
1. 500	BAP3-253-S25-200			200							
1. 700	BAP3-254-S25-150			150		4					
1. 750	BAP3-253-S25-200			200							
1. 400	BAP3-263-S25-150	26	25	150	35	4					
1. 500	BAP3-263-S25-200			200							
1. 700	BAP3-264-S25-150			150		4					
1. 750	BAP3-264-S25-200			200							
1. 750	BAP3-324-S32-150	32	32	150	35	4					
1. 950	BAP3-324-S32-200			200							
1. 100	BAP4-252-S25-125	25	25	125	40	2	APMT1604....	MS4009A	Tf15		
1. 200	BAP4-252-S25-150			150							
1. 300	BAP4-252-S25-200	200									
1. 600	BAP4-322-S32-150	32	32	150	45	2					
1. 800	BAP4-322-S32-200			200							
1. 600	BAP4-323-S32-150			32			32	150		45	3
1. 800	BAP4-323-S32-200							200			



www.chllyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信

BAP 直角端銑刀頭




FIG-2
Ø 50
Ø 63
Ø 66
Ø 80





FIG-2
Ø 100
Ø 125



溝加工



側面加工



平面加工

捨棄式刀具系列

FIG-1 Item code	Dimensions,mm				Teeth	Insert	Screw	Wrench
	D	d	L	M				
1,000 BAP3-162-MD14	16	8.5	25	M8	2	APMT1135....	MS2506E	TF8
1,000 BAP3-172-MD14	17							
1,000 BAP3-202-MD18	20	10.5	30	M10	2			
1,200 BAP3-203-MD18					3			
1,000 BAP3-212-MD18	21				2			
1,200 BAP3-213-MD18					3			
1,300 BAP3-253-MD23	25	12.5	35	M12	3			
1,500 BAP3-254-MD23					4			
1,300 BAP3-263-MD23	26				3			
1,500 BAP3-264-MD23					4			
1,750 BAP3-324-MD29	32	17	43	M16	4			
2,000 BAP3-325-MD29					5			
1,750 BAP3-334-MD29	33				4			
2,000 BAP3-335-MD29					5			

FIG-1 Item code	Dimensions,mm				Teeth	Insert	Screw	Wrench
	D	d	L	M				
2,300 BAP3-507-22.0	50	22.0	40	11	7	APMT1135....	MS2506E	TF8
1,600 BAP4-504-22.0	50	22.0	50	11	4	APMT1604....	MS4011A	TF15
1,600 BAP4-504-25.4		25.4	50	13				
2,000 BAP4-653-25.4	63	25.4	50	13	5			
2,100 BAP4-665-25.4	66				5			
2,400 BAP4-806-25.4	80				6			
3,450 BAP4-1008-31.75	100	31.75	50	45	8			
4,600 BAP4-1259-38.1	125	38.1	50	60	9			

Description	GRADE 材質			Insert Shape	Dimensions,mm				
	F620	VP15TF	HT110		A	B	S	d1	r
APMT1135PDER-H2	●				11	6.35	3.5	2.85	0.8
APMT1604PDER-H2	●				16.5	9.525	4.76	4.7	
APMT1135PDER-M2		●			11	6.35	3.5	2.85	0.8
APMT1604PDER-M2		●			16.5	9.525	4.76	4.4	
APMT1135PDER-G2			●		11	6.35	3.5	2.85	0.8
APMT1604PDER-G2			●		16.5	9.525	4.76	4.4	



www.chillyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信



UEX 直角端銑刀桿




溝加工



側面加工



平面加工



捨棄式刀具系列

	Item code	Dimensions,mm				Teeth	Insert	Screw	Wrench
		D	d	L	L1				
720	C12-SS12-150	12	12	150	25	1	APET-120204	MS3507A	TF15
720	C12-SS13-150	13	12	150	20	1			
720	C16-SS16-150	16	16	150	30	1			
850	C16-SS16-200			200					
720	C16-SS17-150	17	16	150	30	1			
850	C16-SS17-200			200					
1,100	C20-SS20-150			150					
1,100	C20-SS20-200	20	20	200	35	2			
1,200	C20-SS20-250			250					
850	C20-SS21-150			150					
1,010	C20-SS21-200			200			ADET160308	MS4009A	TF15
1,350	C20-SS21-250	21	20	250	30	2			
910	C25-SS25-150			150					
1,100	C25-SS25-200	25	25	200	40	2			
1,250	C25-SS25-250			250					
910	C25-SS26-150			150					
1,100	C25-SS26-200	26	25	200	30	2			
1,250	C25-SS26-250			250					
1,950K	C32-SS322-150			150					
1,450	C32-SS322-200	32	32	200	45	2			
1,700	C32-SS322-250			250					
1,260	C32-SS32-150			150					
1,450	C32-SS32-200	32	32	200	45	3			
1,600	C32-SS32-250			250					
1,900	C32-SS32-300			300					
1,450	C32-SS332-200			200					
1,600	C32-SS332-250	33	32	250	30	2			
1,900	C32-SS332-300			300					
1,450	C32-SS33-200			200					
1,600	C32-SS33-250	33	32	250	30	3			
1,900	C32-SS33-300			300					
X	C32-SS33-350			350					
X	C32-SS33-400			400					



www.chillyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信

UEX 直角端銑刀頭






FIG-2

Ø40
Ø50
Ø63
Ø66
Ø80



捨棄式刀具系列

FIG-1 Item code	Dimensions,mm				Teeth	Insert	Screw	Wrench
	D	d	L	M				
1,000 UEX161-MD14	16	8.5	28	M8	1	APET-120204	MS3507A	TF15
1,050 UEX171-MD14	17	8.5	28	M8	1			
1,000 UEX172-MD14	17	8.5	28	M8	2			
1,050 UEX202-MD18	20	10.5	30	M10	2			
1,000 UEX212-MD18	21							
1,400 UEX253S-MD23	25	12.5	35	M12	3			
1,400 UEX263S-MD23	26							
1,900 UEX324S-MD29	32	17	43	M16	4			
1,900 UEX334S-MD29	33							
1,180 UEX252-MD23	25	12.5	35	M12	2	ADET160308	MS4009A	TF15
1,100 UEX262-MD23	26							
1,700 UEX323-MD29	32	17	43	M16	3			
1,600 UEX333-MD23	33							

FIG-2 Item code	Dimensions,mm				Teeth	Insert	Screw	Wrench
	D	d	L	M				
1,700 UEX403-22.0	40	22	40	11	3	ADET160308	MS4009A	TF15
2,200 UEX504-22.0	50	22	50	11	4			
1,700 UEX504-25.4	50	25.4	50	13	4			
1,950 UEX665-25.4	66	25.4	50	13	5			
2,600 UEX806-25.4	80	25.4	50	13	6			
3,500 UEX1007-25.4	100	31.75	50	45	7			

Description	GRADE 材質		Insert Shape	Dimensions,mm					
	CH550	HC844		A	B	S	r	d1	θ°
APNT120204ER	●			12.7	7.938	2.5	0.4	3.8	11
APET120204ER				15.875	9.525	3.18	0.4	4.4	15
APNT160304ER									
APET160304ER									



www.chillyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信



AJU 鑽銑刀桿+刀頭

捨棄式刀具系列



孔加工



斜向加工



溝加工



曲面加工



側面加工



FIG-1




FIG-2




	FIG-1 Item code	Dimensions,mm				Teeth	Insert		Screw		Wrench	
		D	d	L	L1							
700K	C10-DM10-130	10	10	130	25	1	CCMT060204	—	MS2506A	—	TF9	—
700K	C10-DM11-150	11	10	150	16	1						
700K	C12-DM12-150	12	12	150	30	1	CPMT080204Z	—	MS2506A	—	TF9	—
700K	C12-DM13-150	13	12	150	20	1						
925	C16-DM16-150	16	16	150	30	2	CPMT080204Z	CCMT060204	MS2506A	MS2506A	TF9	—
1,150	C16-DM16-200			200								
1,900	C16-DM17-150	17	16	150	25	2						
1,050	C16-DM17-200			200								
900	C20-DM20-150			150			CPMT090204Z	CCMT060204	MS3509A	MS2506A	TF15	TF9
1,050	C20-DM20-200	20	20	200	30	2						
1,200	C20-DM20-250			250								
925	C20-DM21-150			150								
1,150	C20-DM21-200	21	20	200	25	2						
1,200	C20-DM21-250			250								
1,000	C25-DM25-150			150			CPMT120308Z	CPMT090308	MS4009A	MS4009A	TF15	—
1,300	C25-DM25-200	25	25	200	40	2						
1,450	C25-DM25-250			250								
1,550	C25-DM25-300			300								
1,100	C25-DM26-150			150								
1,200	C25-DM26-200	26	25	200	30	2						
1,450	C25-DM26-250			250								
1,600	C32-DM32-150			150			CPMT160408Z	CPMT120408	MS5011A	MS5011A	TF20	—
1,700	C32-DM32-200	32	32	200	40	2						
1,900	C32-DM32-250			250								
2,200	C32-DM32-300			300								
1,500	C32-DM33-150			150								
1,700	C32-DM33-200			200								
1,800	C32-DM33-250	33	32	250	30	2						
2,200	C32-DM33-300			300								
X	C32-DM33-350			350								
X	C32-DM33-400			400								

	FIG-2 Item code	Dimensions,mm				Teeth	Insert		Screw		Wrench	
		D	d	L	M							
1,000	AJU16-MD14	16	8.5	28	M8	2	CPMT080204Z	CCMT060204	MS2506A	MS2506A	TF9	
1,000	AJU17-MD14	17										
1,050	AJU20-MD18	20	10.5	32	M10	2	CPMT090204Z	CCMT060204	MS3509A	MS2506A	TF15	TF9
1,050	AJU21-MD18	21										
1,180	AJU25-MD23	25	12.5	38	M12	2	CPMT120308Z	CPMT090308	MS4009A	MS4009A	TF15	
1,100	AJU26-MD23	26										
1,550	AJU32-MD29	32	17	43	M16	2	CPMT160408Z	CPMT120408	MS5011A	MS5011A	TF20	
1,550	AJU33-MD29	33										



www.chillyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信



WGR 球型銑刀



FIG-1




FIG-2




FIG-1 Item code	Dimensions,mm				Teeth	Insert	Screw	Wrench
	D	d	L	L1				
1, 600k WGR08-S08-100	8	8	100	20	1	P3201-D08	MGR3008	TF8
1, 600k WGR08-S10-100		10	100	35				
1, 600k WGR10-S10-100	10	10	100	25	1	P3201-D10	MGR4010	TF15
1, 600k WGR10-S12-150		12	150	36				
1, 600k WGR12-S12-150	12	12	150	32	1	P3201-D12	MGR5012	TF20
1, 910k WGR12-S16-200		16	200	58				
1, 650 WGR16-S16-150	16	16	150	36	1	P3201-D16	MGR5016	TF20
1, 950 WGR16-S16-200			200					
2, 000k WGR16-S20-200		20	200	65				
2, 150 WGR16-S20-250			250					
1, 900 WGR20-S20-150	20	20	150	45	1	P3201-D20	MGR5020	TF20
1, 950 WGR20-S20-200			200					
2, 150 WGR20-S25-200		25	200	76				
2, 350k WGR20-S25-250			250					
2, 300k WGR25-S25-200	25	25	200	45	1	P3201-D25	MGR6025	TT30
2, 500k WGR25-S25-250			250					
2, 700k WGR25-S32-200		32	200	98				
2, 950k WGR25-S32-250			250					
3, 300k WGR25-S32-300			300					
3, 200k WGR30-S32-200	30	32	200	50	1	P3201-D30	MGR8030	TT30
3, 500k WGR30-S32-250			250					
3, 850k WGR30-S32-300			300					

FIG-2 Item code	Dimensions,mm				Teeth	Insert	Screw	Wrench
	D	d	L	M				
1, 400 WGR08-MD08	8	8.5	16	M4	1	P3201-D08	MGR3008	TF8
1, 300 WGR10-MD10	10	8.5	20	M5	1	P3201-D10	MGR4010	TF15
1, 300 WGR12-MD11	12	8.5	22	M6	1	P3201-D12	MGR5012	TF20
1, 300 WGR12-MD14		8.5	30	M8	1			
1, 300 WGR16-MD14	16	8.5	28	M8	1	P3201-D16	MGR5016	TF20
1, 300 WGR20-MD18	20	10.5	30	M10	1	P3201-D20	MGR5020	TF20
1, 500 WGR25-MD23	25	12.5	40	M12	1	P3201-D25	MGR6025	TT30
2, 100 WGR30-MD29	30	17.0	43	M16	1	P3201-D30	MGR8030	TT30




www.chliyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信

SP 倒角刀



捨棄式刀具系列

	Order Reference	∅ D	∅ D1	∅ D2	L1	L	teeth	∅ d	Insert	Screw	Wrench
1, 100	CM2T17-90-C12	17	16	11	23	90	2	12	SPMG050204DG	M2.0x5	T6
1, 100	CM2T22-100-C16	22	21	15	30	100	2	16	SPMG060204DG	M2.2x5	T7
1, 250	CM2T27-120-C20	27	26	18	35	120	2	20	SPMG07T308DG	M2.5x8	T8
1, 550	CM2T32-120-C20	32	30	22	43	120	2	20	SPMG090408DG	M2.5x9	T15
1, 250	CM3T17-90-C16	17	16	11	23	90	3	12	SPMG050204DG	M2.0x5	T6
1, 250	CM3T22-100-C16	22	21	15	30	100	3	16	SPMG060204DG	M2.2x5	T7
1, 400	CM3T27-120-C20	27	26	18	35	120	3	20	SPMG07T308DG	M2.5x8	T8
1, 400	CM3T32-120-C20	32	30	22	43	120	3	20	SPMG090408DG	M3.5x9	T15





www.chillyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信

JJP 鎢鋼平底高速鑽



鑽頭刀系列

頁次	品號	外徑 (D)	刃長 (H)	有效長 (NL)	刃數 (T)	柄徑 (D)	全長 (L)	牌價
1	JJP010	1.0	3.3	3.6	2	3	50	600
2	JJP011	1.1	3.5	3.9	2	3	50	600
3	JJP012	1.2	3.9	4.2	2	3	50	600
4	JJP013	1.3	4.2	4.5	2	3	50	600
5	JJP014	1.4	4.6	4.9	2	3	50	600
6	JJP015	1.5	4.9	5.2	2	3	50	600
7	JJP016	1.6	5.2	5.5	2	3	50	600
8	JJP017	1.7	5.5	5.8	2	3	50	600
9	JJP018	1.8	5.8	6.1	2	3	50	600
10	JJP019	1.9	6.2	6.5	2	3	50	600
11	JJP020	2.0	9	9.8	2	3	50	600
12	JJP021	2.1	11	11.4	2	4	50	700
13	JJP022	2.2	11	11.4	2	4	50	700
14	JJP023	2.3	11	11.5	2	4	50	700
15	JJP024	2.4	12	12.6	2	4	50	700
16	JJP025	2.5	12	12.7	2	4	50	700
17	JJP026	2.6	12	12.8	2	4	50	700
18	JJP027	2.7	14	14.9	2	4	50	700
19	JJP028	2.8	14	15	2	4	50	700
20	JJP029	2.9	14	15	2	4	50	700
21	JJP030	3.0	14	14.4	2	6	50	1,000
22	JJP031	3.1	15	15.5	2	6	50	1,000
23	JJP032	3.2	15	15.6	2	6	50	1,000
24	JJP033	3.3	15	15.7	2	6	50	1,000
25	JJP034	3.4	16	16.2	2	6	50	1,000
26	JJP035	3.5	16	16.3	2	6	50	1,000
27	JJP036	3.6	16	16.4	2	6	50	1,000
28	JJP037	3.7	18	18	2	6	50	1,000
29	JJP038	3.8	18	18.1	2	6	50	1,000
30	JJP039	3.9	18	18.2	2	6	60	1,000
31	JJP040	4.0	18	18.3	2	6	60	1,000
32	JJP041	4.1	19	20.4	2	6	60	1,000
33	JJP042	4.2	19	20.4	2	6	60	1,000
34	JJP043	4.3	19	20.5	2	6	60	1,000
35	JJP044	4.4	21	22.6	2	6	60	1,000
36	JJP045	4.5	21	22.7	2	6	60	1,000