





www.chillyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信

JJP 鎢鋼平底高速鑽



鑽頭刀系列

頁次	品號	外徑 (D)	刃長 (H)	有效長 (NL)	刃數 (T)	柄徑 (d)	全長 (L)	牌價
1	JJP010	1.0	3.3	3.6	2	3	50	600
2	JJP011	1.1	3.5	3.9	2	3	50	600
3	JJP012	1.2	3.9	4.2	2	3	50	600
4	JJP013	1.3	4.2	4.5	2	3	50	600
5	JJP014	1.4	4.6	4.9	2	3	50	600
6	JJP015	1.5	4.9	5.2	2	3	50	600
7	JJP016	1.6	5.2	5.5	2	3	50	600
8	JJP017	1.7	5.5	5.8	2	3	50	600
9	JJP018	1.8	5.8	6.1	2	3	50	600
10	JJP019	1.9	6.2	6.5	2	3	50	600
11	JJP020	2.0	9	9.8	2	3	50	600
12	JJP021	2.1	11	11.4	2	4	50	700
13	JJP022	2.2	11	11.4	2	4	50	700
14	JJP023	2.3	11	11.5	2	4	50	700
15	JJP024	2.4	12	12.6	2	4	50	700
16	JJP025	2.5	12	12.7	2	4	50	700
17	JJP026	2.6	12	12.8	2	4	50	700
18	JJP027	2.7	14	14.9	2	4	50	700
19	JJP028	2.8	14	15	2	4	50	700
20	JJP029	2.9	14	15	2	4	50	700
21	JJP030	3.0	14	14.4	2	6	50	1,000
22	JJP031	3.1	15	15.5	2	6	50	1,000
23	JJP032	3.2	15	15.6	2	6	50	1,000
24	JJP033	3.3	15	15.7	2	6	50	1,000
25	JJP034	3.4	16	16.2	2	6	50	1,000
26	JJP035	3.5	16	16.3	2	6	50	1,000
27	JJP036	3.6	16	16.4	2	6	50	1,000
28	JJP037	3.7	18	18	2	6	50	1,000
29	JJP038	3.8	18	18.1	2	6	50	1,000
30	JJP039	3.9	18	18.2	2	6	60	1,000
31	JJP040	4.0	18	18.3	2	6	60	1,000
32	JJP041	4.1	19	20.4	2	6	60	1,000
33	JJP042	4.2	19	20.4	2	6	60	1,000
34	JJP043	4.3	19	20.5	2	6	60	1,000
35	JJP044	4.4	21	22.6	2	6	60	1,000
36	JJP045	4.5	21	22.7	2	6	60	1,000



www.chillyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信



鑽頭刀系列

項次	品號	外径 (D)	刃長 (H)	有效長 (NL)	刃數 (T)	柄徑 (D)	全長 (L)	牌價
37	JJP046	4.6	21	20.8	2	6	60	1,000
38	JJP047	4.7	22	20.9	2	6	60	1,000
39	JJP048	4.8	22	23	2	6	60	1,000
40	JJP049	4.9	22	23	2	6	60	1,000
41	JJP050	5.0	23	23.1	2	6	75	1,200
42	JJP051	5.1	24	26.2	2	6	75	1,200
43	JJP052	5.2	24	26.3	2	6	75	1,200
44	JJP053	5.3	24	26.4	2	6	75	1,200
45	JJP054	5.4	25	27.5	2	6	75	1,200
46	JJP055	5.5	25	27.6	2	6	75	1,200
47	JJP056	5.6	25	27.7	2	6	75	1,200
48	JJP057	5.7	27	29.7	2	6	75	1,200
49	JJP058	5.8	27	29.8	2	6	75	1,200
50	JJP059	5.9	27	29.9	2	6	75	1,200
51	JJP060	6.0	27	30	2	6	75	1,200
52	JJP061	6.1	28	31	2	8	75	1,500
53	JJP062	6.2	28	31	2	8	75	1,500
54	JJP063	6.3	28	31	2	8	75	1,500
55	JJP064	6.4	30	33	2	8	75	1,500
56	JJP065	6.5	30	33	2	8	75	1,500
57	JJP066	6.6	30	33	2	8	75	1,500
58	JJP067	6.7	31	33	2	8	75	1,500
59	JJP068	6.8	31	33	2	8	75	1,500
60	JJP069	6.9	31	33	2	8	75	1,500
61	JJP070	7.0	32	33	2	8	75	1,500
62	JJP071	7.1	33	36	2	8	75	1,500
63	JJP072	7.2	33	36	2	8	75	1,500
64	JJP073	7.3	33	36	2	8	75	1,500
65	JJP074	7.4	34	39	2	8	75	1,500
66	JJP075	7.5	34	39	2	8	75	1,500
67	JJP076	7.6	34	39	2	8	75	1,500
68	JJP077	7.7	36	39	2	8	75	1,500
69	JJP078	7.8	36	40	2	8	80	1,600
70	JJP079	7.9	36	40	2	8	80	1,600
71	JJP080	8.0	36	40	2	8	80	1,600
72	JJP081	8.1	37	42	2	10	100	1,800
73	JJP082	8.2	37	42	2	10	100	1,800
74	JJP083	8.3	37	42	2	10	100	1,800
75	JJP084	8.4	39	42	2	10	100	1,800
76	JJP085	8.5	39	42	2	10	100	1,800
77	JJP086	8.6	39	42	2	10	100	1,800
78	JJP087	8.7	40	42	2	10	100	1,800
79	JJP088	8.8	40	42	2	10	100	1,800
80	JJP089	8.9	40	42	2	10	100	1,800
81	JJP090	9.0	41	42	2	10	100	1,800
82	JJP091	9.1	42	45	2	10	100	1,800
83	JJP092	9.2	42	45	2	10	100	1,800
84	JJP093	9.3	42	45	2	10	100	1,800



www.chillyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信

鑽頭刀系列

項次	品號	外径 (D)	刃長 (H)	有效長 (NL)	刃數 (T)	柄徑 (D)	全長 (L)	牌價
85	JJP094	9.4	43	45	2	10	100	1,800
86	JJP095	9.5	43	45	2	10	100	1,800
87	JJP096	9.6	43	45	2	10	100	1,800
88	JJP097	9.7	45	48	2	10	100	1,800
89	JJP098	9.8	45	48	2	10	100	1,800
90	JJP099	9.9	45	48	2	10	100	1,800
91	JJP100	10.0	45	48	2	10	100	1,800
92	JJP101	10.1	46	49	2	12	100	2,300
93	JJP102	10.2	46	49	2	12	100	2,300
94	JJP103	10.3	46	49	2	12	100	2,300
95	JJP104	10.4	48	51	2	12	100	2,300
96	JJP105	10.5	48	51	2	12	100	2,300
97	JJP106	10.6	48	51	2	12	100	2,300
98	JJP107	10.7	49	51	2	12	100	2,300
99	JJP108	10.8	49	51	2	12	100	2,300
100	JJP109	10.9	49	51	2	12	100	2,300
101	JJP110	11.0	50	51	2	12	100	2,300
102	JJP111	11.1	51	54	2	12	100	2,300
103	JJP112	11.2	51	54	2	12	100	2,300
104	JJP113	11.3	51	54	2	12	100	2,300
105	JJP114	11.4	52	54	2	12	100	2,300
106	JJP115	11.5	52	54	2	12	100	2,300
107	JJP116	11.6	52	54	2	12	100	2,300
108	JJP117	11.7	54	57	2	12	100	2,300
109	JJP118	11.8	54	57	2	12	100	2,300
110	JJP119	11.9	54	57	2	12	100	2,300
111	JJP120	12.0	54	57	2	12	100	2,300
112	JJP125	12.5	57	60	2	12	125	3,300
113	JJP130	13.0	59	60	2	12	125	3,300
114	JJP135	13.5	61	63	2	12	125	3,300
115	JJP140	14.0	63	66	2	12	125	3,500
116	JJP145	14.5	66	69	2	12	125	4,200
117	JJP150	15.0	68	69	2	12	125	4,200
118	JJP155	15.5	70	72	2	12	125	4,800
119	JJP160	16.0	72	75	2	16	125	4,800
120	JJP165	16.5	75	78	2	16	125	5,000
121	JJP170	17.0	77	79	2	16	150	6,200
122	JJP175	17.5	79	81	2	16	150	6,400
123	JJP180	18.0	81	84	2	16	150	6,400
124	JJP185	18.5	84	87	2	16	150	7,200
125	JJP190	19.0	86	87	2	16	150	7,200
126	JJP195	19.5	88	91	2	16	150	8,300
127	JJP200	20.0	90	93	2	20	150	8,300



www.chillyang.com.tw

奇力揚有限公司


專業 / 技術 / 服務 / 誠信



CAK 鎢鋼鑽頭



鑽頭刀系列



公差表 TOLERANCE

直徑 D1 直徑公差值 D1 Tolerance

3.0~5.9 0 -0.012

6.0~11.9 0 -0.015

12.0~15.8 0 -0.018

16.0~20.0 0 -0.021

柄徑 D2 柄徑公差值 D2 Tolerance

Ø6 0 -0.008

Ø8 0 -0.008

Ø10 0 -0.009

Ø12 0 -0.011

Ø14 0 -0.011

Ø16 0 -0.011

Ø18 0 -0.011

Ø20 0 -0.013

unit : mm

頁次	品號	規格	刃長 (H)	全長 (L)	柄徑 (D)	牌價
01	D07-3030	3.0	20	62	6	1,100
02	D07-3031	3.1	20	62	6	1,100
03	D07-3032	3.2	20	62	6	1,100
04	D07-3033	3.3	20	62	6	1,100
05	D07-3034	3.4	20	62	6	1,100
06	D07-3035	3.5	20	62	6	1,100
07	D07-3036	3.6	20	62	6	1,100
08	D07-3037	3.7	20	62	6	1,100
09	D07-3038	3.8	24	66	6	1,100
10	D07-3039	3.9	24	66	6	1,100
11	D07-3040	4.0	24	66	6	1,100
12	D07-3041	4.1	24	66	6	1,100
13	D07-3042	4.2	24	66	6	1,100
14	D07-3043	4.3	24	66	6	1,100
15	D07-3044	4.4	24	66	6	1,100
16	D07-3045	4.5	24	66	6	1,100
17	D07-3046	4.6	24	66	6	1,100
18	D07-3047	4.7	24	66	6	1,100
19	D07-3048	4.8	28	66	6	1,100
20	D07-3049	4.9	28	66	6	1,100
21	D07-3050	5.0	28	66	6	1,100
22	D07-3051	5.1	28	66	6	1,100
23	D07-3052	5.2	28	66	6	1,100
24	D07-3053	5.3	28	66	6	1,100
25	D07-3054	5.4	28	66	6	1,100
26	D07-3055	5.5	28	66	6	1,100
27	D07-3056	5.6	28	66	6	1,100
28	D07-3057	5.7	28	66	6	1,100
29	D07-3058	5.8	28	66	6	1,100
30	D07-3059	5.9	28	66	6	1,100
31	D07-3060	6.0	28	66	6	1,100
32	D07-3061	6.1	34	79	8	1,600
33	D07-3062	6.2	34	79	8	1,600
34	D07-3063	6.3	34	79	8	1,600
35	D07-3064	6.4	34	79	8	1,600
36	D07-3065	6.5	34	79	8	1,600
37	D07-3066	6.6	34	79	8	1,600
38	D07-3067	6.7	34	79	8	1,600
39	D07-3068	6.8	34	79	8	1,600
40	D07-3069	6.9	34	79	8	1,600
41	D07-3070	7.0	34	79	8	1,600
42	D07-3071	7.1	41	79	8	1,600



www.chillyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信

鑽頭刀系列

項次	品號	規格	刃長 (H)	全長 (L)	柄徑 (D)	牌價
43	D07-3072	7.2	41	79	8	1,600
44	D07-3073	7.3	41	79	8	1,600
45	D07-3074	7.4	41	79	8	1,600
46	D07-3075	7.5	41	79	8	1,600
47	D07-3076	7.6	41	79	8	1,600
48	D07-3077	7.7	41	79	8	1,600
49	D07-3078	7.8	41	79	8	1,600
50	D07-3079	7.9	41	79	8	1,600
51	D07-3080	8.0	41	79	8	1,600
52	D07-3081	8.1	47	89	10	2,200
53	D07-3082	8.2	47	89	10	2,200
54	D07-3083	8.3	47	89	10	2,200
55	D07-3084	8.4	47	89	10	2,200
56	D07-3085	8.5	47	89	10	2,200
57	D07-3086	8.6	47	89	10	2,200
58	D07-3087	8.7	47	89	10	2,200
59	D07-3088	8.8	47	89	10	2,200
60	D07-3089	8.9	47	89	10	2,200
61	D07-3090	9.0	47	89	10	2,200
62	D07-3091	9.1	47	89	10	2,200
63	D07-3092	9.2	47	89	10	2,200
64	D07-3093	9.3	47	89	10	2,200
65	D07-3094	9.4	47	89	10	2,200
66	D07-3095	9.5	47	89	10	2,200
67	D07-3096	9.6	47	89	10	2,200
68	D07-3097	9.7	47	89	10	2,200
69	D07-3098	9.8	47	89	10	2,200
70	D07-3099	9.9	47	89	10	2,200
71	D07-3100	10.0	47	89	10	2,200
72	D07-3101	10.1	55	102	12	3,240
73	D07-3102	10.2	55	102	12	3,240
74	D07-3103	10.3	55	102	12	3,240
75	D07-3104	10.4	55	102	12	3,240
76	D07-3105	10.5	55	102	12	3,240
77	D07-3106	10.6	55	102	12	3,240
78	D07-3107	10.7	55	102	12	3,240
79	D07-3108	10.8	55	102	12	3,240
80	D07-3109	10.9	55	102	12	3,240
81	D07-3110	11.0	55	102	12	3,240
82	D07-3111	11.1	55	102	12	3,240
83	D07-3112	11.2	55	102	12	3,240
84	D07-3113	11.3	55	102	12	3,240
85	D07-3114	11.4	55	102	12	3,240
86	D07-3115	11.5	55	102	12	3,240
87	D07-3116	11.6	55	102	12	3,240
88	D07-3117	11.7	55	102	12	3,240
89	D07-3118	11.8	55	102	12	3,240
90	D07-3119	11.9	55	102	12	3,240

項次	品號	規格	刃長 (H)	全長 (L)	柄徑 (D)	牌價
91	D07-3120	12.0	55	102	12	3,240
92	D07-3123	12.3	60	107	14	4,200
93	D07-3125	12.5	60	107	14	4,200
94	D07-3128	12.8	60	107	14	4,200
95	D07-3130	13.0	60	107	14	4,200
96	D07-3135	13.5	60	107	14	4,200
97	D07-3138	13.8	60	107	14	4,200
98	D07-3140	14.0	60	107	14	4,200
99	D07-3145	14.5	65	115	16	4,600
100	D07-3148	14.8	65	115	16	4,600
101	D07-3150	15.0	65	115	16	4,600
102	D07-3155	15.5	65	115	16	4,600
103	D07-3158	15.8	65	115	16	4,600
104	D07-3160	16.0	65	115	16	4,600
105	D07-3165	16.5	73	123	18	6,600
106	D07-3168	16.8	73	123	18	6,600
107	D07-3170	17.0	73	123	18	6,600
108	D07-3175	17.5	73	123	18	6,600
109	D07-3178	17.8	73	123	18	6,600
110	D07-3180	18.0	73	123	18	6,600
111	D07-3185	18.5	79	131	20	8,000
112	D07-3190	19.0	79	131	20	8,000
113	D07-3195	19.5	79	131	20	8,000
114	D07-3198	19.8	79	131	20	8,000
115	D07-3200	20.0	79	131	20	8,000



www.chillyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信



CBK 鎢鋼鑽頭



鑽頭刀系列



公差表 TOLERANCE

直徑 D1 直徑公差值 D1 Tolerance

3.0~5.9	0 -0.012
6.0~11.9	0 -0.015
12.0~15.8	0 -0.018
16.0~20.0	0 -0.021

柄徑 D2 柄徑公差值 D2 Tolerance

Ø6	0 -0.008
Ø8	0 -0.008
Ø10	0 -0.009
Ø12	0 -0.011
Ø14	0 -0.011
Ø16	0 -0.011
Ø18	0 -0.011
Ø20	0 -0.013

unit: mm

頁次	品號	規格	刃長 (H)	全長 (L)	柄徑 (D)	牌價
01	D07-5030	3.0	28	66	6	1,300
02	D07-5031	3.1	28	66	6	1,300
03	D07-5032	3.2	28	66	6	1,300
04	D07-5033	3.3	28	66	6	1,300
05	D07-5034	3.4	28	66	6	1,300
06	D07-5035	3.5	28	66	6	1,300
07	D07-5036	3.6	28	66	6	1,300
08	D07-5037	3.7	28	66	6	1,300
09	D07-5038	3.8	36	74	6	1,450
10	D07-5039	3.9	36	74	6	1,450
11	D07-5040	4.0	36	74	6	1,450
12	D07-5041	4.1	36	74	6	1,450
13	D07-5042	4.2	36	74	6	1,450
14	D07-5043	4.3	36	74	6	1,450
15	D07-5044	4.4	36	74	6	1,450
16	D07-5045	4.5	36	74	6	1,450
17	D07-5046	4.6	36	74	6	1,450
18	D07-5047	4.7	36	74	6	1,450
19	D07-5048	4.8	44	82	6	1,520
20	D07-5049	4.9	44	82	6	1,520
21	D07-5050	5.0	44	82	6	1,520
22	D07-5051	5.1	44	82	6	1,520
23	D07-5052	5.2	44	82	6	1,520
24	D07-5053	5.3	44	82	6	1,520
25	D07-5054	5.4	44	82	6	1,520
26	D07-5055	5.5	44	82	6	1,520
27	D07-5056	5.6	44	82	6	1,520
28	D07-5057	5.7	44	82	6	1,520
29	D07-5058	5.8	44	82	6	1,520
30	D07-5059	5.9	44	82	6	1,520
31	D07-5060	6.0	44	82	6	1,520
32	D07-5061	6.1	53	91	8	1,850
33	D07-5062	6.2	53	91	8	1,850
34	D07-5063	6.3	53	91	8	1,850
35	D07-5064	6.4	53	91	8	1,850
36	D07-5065	6.5	53	91	8	1,850
37	D07-5066	6.6	53	91	8	1,850
38	D07-5067	6.7	53	91	8	1,850
39	D07-5068	6.8	53	91	8	1,850
40	D07-5069	6.9	53	91	8	1,850
41	D07-5070	7.0	53	91	8	1,850
42	D07-5071	7.1	53	91	8	1,850



www.chillyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信

鑽頭刀系列

項次	品號	規格	刃長 (H)	全長 (L)	柄徑 (D)	牌價
43	D07-5072	7.2	53	91	8	1,850
44	D07-5073	7.3	53	91	8	1,850
45	D07-5074	7.4	53	91	8	1,850
46	D07-5075	7.5	53	91	8	1,850
47	D07-5076	7.6	53	91	8	1,850
48	D07-5077	7.7	53	91	8	1,850
49	D07-5078	7.8	53	91	8	1,850
50	D07-5079	7.9	53	91	8	1,850
51	D07-5080	8.0	53	91	8	1,850
52	D07-5081	8.1	61	103	10	2,400
53	D07-5082	8.2	61	103	10	2,400
54	D07-5083	8.3	61	103	10	2,400
55	D07-5084	8.4	61	103	10	2,400
56	D07-5085	8.5	61	103	10	2,400
57	D07-5086	8.6	61	103	10	2,400
58	D07-5087	8.7	61	103	10	2,400
59	D07-5088	8.8	61	103	10	2,400
60	D07-5089	8.9	61	103	10	2,400
61	D07-5090	9.0	61	103	10	2,400
62	D07-5091	9.1	61	103	10	2,400
63	D07-5092	9.2	61	103	10	2,400
64	D07-5093	9.3	61	103	10	2,400
65	D07-5094	9.4	61	103	10	2,400
66	D07-5095	9.5	61	103	10	2,400
67	D07-5096	9.6	61	103	10	2,400
68	D07-5097	9.7	61	103	10	2,400
69	D07-5098	9.8	61	103	10	2,400
70	D07-5099	9.9	61	103	10	2,400
71	D07-5100	10.0	61	103	10	2,400
72	D07-5101	10.1	71	118	12	3,900
73	D07-5102	10.2	71	118	12	3,900
74	D07-5103	10.3	71	118	12	3,900
75	D07-5104	10.4	71	118	12	3,900
76	D07-5105	10.5	71	118	12	3,900
77	D07-5106	10.6	71	118	12	3,900
78	D07-5107	10.7	71	118	12	3,900
79	D07-5108	10.8	71	118	12	3,900
80	D07-5109	10.9	71	118	12	3,900
81	D07-5110	11.0	71	118	12	3,900
82	D07-5111	11.1	71	118	12	3,900
83	D07-5112	11.2	71	118	12	3,900
84	D07-5113	11.3	71	118	12	3,900
85	D07-5114	11.4	71	118	12	3,900
86	D07-5115	11.5	71	118	12	3,900
87	D07-5116	11.6	71	118	12	3,900
88	D07-5117	11.7	71	118	12	3,900
89	D07-5118	11.8	71	118	12	3,900
90	D07-5119	11.9	71	118	12	3,900

項次	品號	規格	刃長 (H)	全長 (L)	柄徑 (D)	牌價
91	D07-5120	12.0	71	118	12	3,900
92	D07-5123	12.3	77	107	14	5,000
93	D07-5125	12.5	77	107	14	5,000
94	D07-5128	12.8	77	107	14	5,000
95	D07-5130	13.0	77	107	14	5,000
96	D07-5135	13.5	77	107	14	5,000
97	D07-5138	13.8	77	107	14	5,000
98	D07-5140	14.0	77	107	14	5,000
99	D07-5145	14.5	83	115	16	5,200
100	D07-5148	14.8	83	115	16	5,200
101	D07-5150	15.0	83	115	16	5,200
102	D07-5155	15.5	83	115	16	5,200
103	D07-5158	15.8	83	115	16	5,200
104	D07-5160	16.0	83	115	16	5,200
105	D07-5165	16.5	93	123	18	7,500
106	D07-5168	16.8	93	123	18	7,500
107	D07-5170	17.0	93	123	18	7,500
108	D07-5175	17.5	93	123	18	7,500
109	D07-5178	17.8	93	123	18	7,500
110	D07-5180	18.0	93	123	18	7,500
111	D07-5185	18.5	101	131	20	9,000
112	D07-5190	19.0	101	131	20	9,000
113	D07-5195	19.5	101	131	20	9,000
114	D07-5198	19.8	101	131	20	9,000
115	D07-5200	20.0	101	131	20	9,000



www.chillyang.com.tw

奇力揚有限公司


專業 / 技術 / 服務 / 誠信



CAO 鎢鋼中心出水鑽



鑽頭刀系列



公差表 TOLERANCE

直徑 D1 直徑公差值 D1 Tolerance

3.0~5.9	$\frac{0}{-0.012}$
6.0~11.9	$\frac{0}{-0.015}$
12.0~15.8	$\frac{0}{-0.018}$
16.0~20.0	$\frac{0}{-0.021}$

柄徑 D2 柄徑公差值 D2 Tolerance

Ø6	$\frac{0}{-0.008}$
Ø8	$\frac{0}{-0.008}$
Ø10	$\frac{0}{-0.009}$
Ø12	$\frac{0}{-0.011}$
Ø14	$\frac{0}{-0.011}$
Ø16	$\frac{0}{-0.011}$
Ø18	$\frac{0}{-0.011}$
Ø20	$\frac{0}{-0.013}$

unit : mm

頁次	品號	規格	刃長 (H)	全長 (L)	柄徑 (D)	牌價
01	D07-3030C	3.0	20	62	6	1,800
02	D07-3031C	3.1	20	62	6	1,800
03	D07-3032C	3.2	20	62	6	1,800
04	D07-3033C	3.3	20	62	6	1,800
05	D07-3034C	3.4	20	62	6	1,800
06	D07-3035C	3.5	20	62	6	1,800
07	D07-3036C	3.6	20	62	6	1,800
08	D07-3037C	3.7	20	66	6	1,800
09	D07-3038C	3.8	24	66	6	1,800
10	D07-3039C	3.9	24	66	6	1,800
11	D07-3040C	4.0	24	66	6	1,800
12	D07-3041C	4.1	24	66	6	1,800
13	D07-3042C	4.2	24	66	6	1,800
14	D07-3043C	4.3	24	66	6	1,800
15	D07-3044C	4.4	24	66	6	1,800
16	D07-3045C	4.5	24	66	6	1,800
17	D07-3046C	4.6	24	66	6	1,800
18	D07-3047C	4.7	24	66	6	1,800
19	D07-3048C	4.8	28	66	6	1,800
20	D07-3049C	4.9	28	66	6	1,800
21	D07-3050C	5.0	28	66	6	1,800
22	D07-3051C	5.1	28	66	6	1,800
23	D07-3052C	5.2	28	66	6	1,800
24	D07-3053C	5.3	28	66	6	1,800
25	D07-3054C	5.4	28	66	6	1,800
26	D07-3055C	5.5	28	66	6	1,800
27	D07-3056C	5.6	28	66	6	1,800
28	D07-3057C	5.7	28	66	6	1,800
29	D07-3058C	5.8	28	66	6	1,800
30	D07-3059C	5.9	28	66	6	1,800
31	D07-3060C	6.0	28	66	6	1,800
32	D07-3061C	6.1	34	79	8	2,500
33	D07-3062C	6.2	34	79	8	2,500
34	D07-3063C	6.3	34	79	8	2,500
35	D07-3064C	6.4	34	79	8	2,500
36	D07-3065C	6.5	34	79	8	2,500
37	D07-3066C	6.6	34	79	8	2,500
38	D07-3067C	6.7	34	79	8	2,500
39	D07-3068C	6.8	34	79	8	2,500
40	D07-3069C	6.9	34	79	8	2,500
41	D07-3070C	7.0	34	79	8	2,500
42	D07-3071C	7.1	41	79	8	2,500



www.chillyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信

鑽頭刀系列

頁次	品號	規格	刃長 (H)	全長 (L)	柄徑 (D)	牌價
43	D07-3072C	7.2	41	79	8	2,500
44	D07-3073C	7.3	41	79	8	2,500
45	D07-3074C	7.4	41	79	8	2,500
46	D07-3075C	7.5	41	79	8	2,500
47	D07-3076C	7.6	41	79	8	2,500
48	D07-3077C	7.7	41	79	8	2,500
49	D07-3078C	7.8	41	79	8	2,500
50	D07-3079C	7.9	41	79	8	2,500
51	D07-3080C	8.0	41	79	8	2,500
52	D07-3081C	8.1	47	89	10	3,000
53	D07-3082C	8.2	47	89	10	3,000
54	D07-3083C	8.3	47	89	10	3,000
55	D07-3084C	8.4	47	89	10	3,000
56	D07-3085C	8.5	47	89	10	3,000
57	D07-3086C	8.6	47	89	10	3,000
58	D07-3087C	8.7	47	89	10	3,000
59	D07-3088C	8.8	47	89	10	3,000
60	D07-3089C	8.9	47	89	10	3,000
61	D07-3090C	9.0	47	89	10	3,000
62	D07-3091C	9.1	47	89	10	3,000
63	D07-3092C	9.2	47	89	10	3,000
64	D07-3093C	9.3	47	89	10	3,000
65	D07-3094C	9.4	47	89	10	3,000
66	D07-3095C	9.5	47	89	10	3,000
67	D07-3096C	9.6	47	89	10	3,000
68	D07-3097C	9.7	47	89	10	3,000
69	D07-3098C	9.8	47	89	10	3,000
70	D07-3099C	9.9	47	89	10	3,000
71	D07-3100C	10.0	47	89	10	3,000
72	D07-3101C	10.1	55	102	12	4,200
73	D07-3102C	10.2	55	102	12	4,200
74	D07-3103C	10.3	55	102	12	4,200
75	D07-3104C	10.4	55	102	12	4,200
76	D07-3105C	10.5	55	102	12	4,200
77	D07-3106C	10.6	55	102	12	4,200
78	D07-3107C	10.7	55	102	12	4,200
79	D07-3108C	10.8	55	102	12	4,200
80	D07-3109C	10.9	55	102	12	4,200
81	D07-3110C	11.0	55	102	12	4,200
82	D07-3111C	11.1	55	102	12	4,200
83	D07-3112C	11.2	55	102	12	4,200
84	D07-3113C	11.3	55	102	12	4,200
85	D07-3114C	11.4	55	102	12	4,200
86	D07-3115C	11.5	55	102	12	4,200
87	D07-3116C	11.6	55	102	12	4,200
88	D07-3117C	11.7	55	102	12	4,200
89	D07-3118C	11.8	55	102	12	4,200
90	D07-3119C	11.9	55	102	12	4,200

頁次	品號	規格	刃長 (H)	全長 (L)	柄徑 (D)	牌價
91	D07-3120C	12.0	55	102	12	4,200
92	D07-3123C	12.3	60	107	14	5,400
93	D07-3125C	12.5	60	107	14	5,400
94	D07-3128C	12.8	60	107	14	5,400
95	D07-3130C	13.0	60	107	14	5,400
96	D07-3135C	13.5	60	107	14	5,400
97	D07-3138C	13.8	60	107	14	5,400
98	D07-3140C	14.0	60	107	14	5,400
99	D07-3145C	14.5	65	115	16	5,400
100	D07-3148C	14.8	65	115	16	5,400
101	D07-3150C	15.0	65	115	16	5,400
102	D07-3155C	15.5	65	115	16	5,400
103	D07-3158C	15.8	65	115	16	5,400
104	D07-3160C	16.0	65	115	16	5,400
105	D07-3165C	16.5	73	123	18	10,500
106	D07-3168C	16.8	73	123	18	10,500
107	D07-3170C	17.0	73	123	18	10,500
108	D07-3175C	17.5	73	123	18	10,500
109	D07-3178C	17.8	73	123	18	10,500
110	D07-3180C	18.0	73	123	18	10,500
111	D07-3185C	18.5	79	131	20	12,000
112	D07-3190C	19.0	79	131	20	12,000
113	D07-3195C	19.5	79	131	20	12,000
114	D07-3198C	19.8	79	131	20	12,000
115	D07-3200C	20.0	79	131	20	12,000



www.chillyang.com.tw

奇力揚有限公司


專業 / 技術 / 服務 / 誠信



CBO 鎢鋼中心出水鑽



鑽頭刀系列



公差表 TOLERANCE

直徑 D1 直徑公差值 D1 Tolerance

3.0~5.9	0 -0.012
6.0~11.9	0 -0.015
12.0~15.8	0 -0.018
16.0~20.0	0 -0.021

柄徑 D2 柄徑公差值 D2 Tolerance

Ø6	0 -0.008
Ø8	0 -0.008
Ø10	0 -0.009
Ø12	0 -0.011
Ø14	0 -0.011
Ø16	0 -0.011
Ø18	0 -0.011
Ø20	0 -0.013

unit : mm

頁次	品號	規格	刃長 (H)	全長 (L)	柄徑 (D)	牌價
01	D07-5030C	3.0	28	66	6	2,100
02	D07-5031C	3.1	28	66	6	2,100
03	D07-5032C	3.2	28	66	6	2,100
04	D07-5033C	3.3	28	66	6	2,100
05	D07-5034C	3.4	28	66	6	2,100
06	D07-5035C	3.5	28	66	6	2,100
07	D07-5036C	3.6	28	66	6	2,100
08	D07-5037C	3.7	28	66	6	2,100
09	D07-5038C	3.8	36	74	6	2,250
10	D07-5039C	3.9	36	74	6	2,250
11	D07-5040C	4.0	36	74	6	2,250
12	D07-5041C	4.1	36	74	6	2,250
13	D07-5042C	4.2	36	74	6	2,250
14	D07-5043C	4.3	36	74	6	2,250
15	D07-5044C	4.4	36	74	6	2,250
16	D07-5045C	4.5	36	74	6	2,250
17	D07-5046C	4.6	36	74	6	2,250
18	D07-5047C	4.7	36	74	6	2,250
19	D07-5048C	4.8	44	82	6	2,400
20	D07-5049C	4.9	44	82	6	2,400
21	D07-5050C	5.0	44	82	6	2,400
22	D07-5051C	5.1	44	82	6	2,400
23	D07-5052C	5.2	44	82	6	2,400
24	D07-5053C	5.3	44	82	6	2,400
25	D07-5054C	5.4	44	82	6	2,400
26	D07-5055C	5.5	44	82	6	2,400
27	D07-5056C	5.6	44	82	6	2,400
28	D07-5057C	5.7	44	82	6	2,400
29	D07-5058C	5.8	44	82	6	2,400
30	D07-5059C	5.9	44	82	6	2,400
31	D07-5060C	6.0	44	82	6	2,400
32	D07-5061C	6.1	53	91	8	2,600
33	D07-5062C	6.2	53	91	8	2,600
34	D07-5063C	6.3	53	91	8	2,600
35	D07-5064C	6.4	53	91	8	2,600
36	D07-5065C	6.5	53	91	8	2,600
37	D07-5066C	6.6	53	91	8	2,600
38	D07-5067C	6.7	53	91	8	2,600
39	D07-5068C	6.8	53	91	8	2,600
40	D07-5069C	6.9	53	91	8	2,600
41	D07-5070C	7.0	53	91	8	2,600
42	D07-5071C	7.1	53	91	8	2,600



www.chillyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信

鑽頭刀系列

頁次	品號	規格	刃長 (H)	全長 (L)	柄徑 (D)	牌價
43	D07-5072C	7.2	53	91	8	2,600
44	D07-5073C	7.3	53	91	8	2,600
45	D07-5074C	7.4	53	91	8	2,600
46	D07-5075C	7.5	53	91	8	2,600
47	D07-5076C	7.6	53	91	8	2,600
48	D07-5077C	7.7	53	91	8	2,600
49	D07-5078C	7.8	53	91	8	2,600
50	D07-5079C	7.9	53	91	8	2,600
51	D07-5080C	8.0	53	91	8	2,600
52	D07-5081C	8.1	61	103	10	3,000
53	D07-5082C	8.2	61	103	10	3,000
54	D07-5083C	8.3	61	103	10	3,000
55	D07-5084C	8.4	61	103	10	3,000
56	D07-5085C	8.5	61	103	10	3,000
57	D07-5086C	8.6	61	103	10	3,000
58	D07-5087C	8.7	61	103	10	3,000
59	D07-5088C	8.8	61	103	10	3,000
60	D07-5089C	8.9	61	103	10	3,000
61	D07-5090C	9.0	61	103	10	3,000
62	D07-5091C	9.1	61	103	10	3,000
63	D07-5092C	9.2	61	103	10	3,000
64	D07-5093C	9.3	61	103	10	3,000
65	D07-5094C	9.4	61	103	10	3,000
66	D07-5095C	9.5	61	103	10	3,000
67	D07-5096C	9.6	61	103	10	3,000
68	D07-5097C	9.7	61	103	10	3,000
69	D07-5098C	9.8	61	103	10	3,000
70	D07-5099C	9.9	61	103	10	3,000
71	D07-5100C	10.0	61	103	10	3,000
72	D07-5101C	10.1	71	118	12	4,300
73	D07-5102C	10.2	71	118	12	4,300
74	D07-5103C	10.3	71	118	12	4,300
75	D07-5104C	10.4	71	118	12	4,300
76	D07-5105C	10.5	71	118	12	4,300
77	D07-5106C	10.6	71	118	12	4,300
78	D07-5107C	10.7	71	118	12	4,300
79	D07-5108C	10.8	71	118	12	4,300
80	D07-5109C	10.9	71	118	12	4,300
81	D07-5110C	11.0	71	118	12	4,300
82	D07-5111C	11.1	71	118	12	4,300
83	D07-5112C	11.2	71	118	12	4,300
84	D07-5113C	11.3	71	118	12	4,300
85	D07-5114C	11.4	71	118	12	4,300
86	D07-5115C	11.5	71	118	12	4,300
87	D07-5116C	11.6	71	118	12	4,300
88	D07-5117C	11.7	71	118	12	4,300
89	D07-5118C	11.8	71	118	12	4,300
90	D07-5119C	11.9	71	118	12	4,300

頁次	品號	規格	刃長 (H)	全長 (L)	柄徑 (D)	牌價
91	D07-5120C	12.0	71	118	12	4,300
92	D07-5123C	12.3	77	107	14	5,650
93	D07-5125C	12.5	77	107	14	5,650
94	D07-5128C	12.8	77	107	14	5,650
95	D07-5130C	13.0	77	107	14	5,650
96	D07-5135C	13.5	77	107	14	5,650
97	D07-5138C	13.8	77	107	14	5,650
98	D07-5140C	14.0	77	107	14	5,650
99	D07-5145C	14.5	83	115	16	6,900
100	D07-5148C	14.8	83	115	16	6,900
101	D07-5150C	15.0	83	115	16	6,900
102	D07-5155C	15.5	83	115	16	6,900
103	D07-5158C	15.8	83	115	16	6,900
104	D07-5160C	16.0	83	115	16	6,900
105	D07-5165C	16.5	93	123	18	11,000
106	D07-5168C	16.8	93	123	18	11,000
107	D07-5170C	17.0	93	123	18	11,000
108	D07-5175C	17.5	93	123	18	11,000
109	D07-5178C	17.8	93	123	18	11,000
110	D07-5180C	18.0	93	123	18	11,000
111	D07-5185C	18.5	101	131	20	13,000
112	D07-5190C	19.0	101	131	20	13,000
113	D07-5195C	19.5	101	131	20	13,000
114	D07-5198C	19.8	101	131	20	13,000
115	D07-5200C	20.0	101	131	20	13,000



www.chilkyang.com.tw

奇力揚有限公司


專業 / 技術 / 服務 / 誠信



CCO 鎢鋼中心出水鑽



鑽頭刀系列



公差表 TOLERANCE

直徑 D1	直徑公差值 D1 Tolerance
3.0~5.9	$\begin{smallmatrix} 0 \\ -0.012 \end{smallmatrix}$
6.0~11.9	$\begin{smallmatrix} 0 \\ -0.015 \end{smallmatrix}$
12.0	$\begin{smallmatrix} 0 \\ -0.018 \end{smallmatrix}$

柄徑 D2	柄徑公差值 D2 Tolerance
Ø6	$\begin{smallmatrix} 0 \\ -0.008 \end{smallmatrix}$
Ø8	$\begin{smallmatrix} 0 \\ -0.008 \end{smallmatrix}$
Ø10	$\begin{smallmatrix} 0 \\ -0.009 \end{smallmatrix}$
Ø12	$\begin{smallmatrix} 0 \\ -0.011 \end{smallmatrix}$

unit : mm

頁次	品號	規格	刃長 (H)	全長 (L)	柄徑 (D)	牌價
01	D07-8040C	4.0	43	81	6	3,600
02	D07-8041C	4.1	43	81	6	3,600
03	D07-8042C	4.2	43	81	6	3,600
04	D07-8043C	4.3	43	81	6	3,600
05	D07-8044C	4.4	43	81	6	3,600
06	D07-8045C	4.5	43	81	6	3,600
07	D07-8046C	4.6	43	81	6	3,600
08	D07-8047C	4.7	43	81	6	3,600
09	D07-8048C	4.8	57	95	6	3,900
10	D07-8049C	4.9	57	95	6	3,900
11	D07-8050C	5.0	57	95	6	3,900
12	D07-8051C	5.1	57	95	6	3,900
13	D07-8052C	5.2	57	95	6	3,900
14	D07-8053C	5.3	57	95	6	3,900
15	D07-8054C	5.4	57	95	6	3,900
16	D07-8055C	5.5	57	95	6	3,900
17	D07-8056C	5.6	57	95	6	3,900
18	D07-8057C	5.7	57	95	6	3,900
19	D07-8058C	5.8	57	95	6	3,900
20	D07-8059C	5.9	57	95	6	3,900
21	D07-8060C	6.0	57	95	6	3,900
22	D07-8061C	6.1	76	114	8	4,200
23	D07-8062C	6.2	76	114	8	4,200
24	D07-8063C	6.3	76	114	8	4,200
25	D07-8064C	6.4	76	114	8	4,200
26	D07-8065C	6.5	76	114	8	4,200
27	D07-8066C	6.6	76	114	8	4,200
28	D07-8067C	6.7	76	114	8	4,200
29	D07-8068C	6.8	76	114	8	4,200
30	D07-8069C	6.9	76	114	8	4,200
31	D07-8070C	7.0	76	114	8	4,200
32	D07-8071C	7.1	76	114	8	4,200
33	D07-8072C	7.2	76	114	8	4,200
34	D07-8073C	7.3	76	114	8	4,200
35	D07-8074C	7.4	76	114	8	4,200
36	D07-8075C	7.5	76	114	8	4,200
37	D07-8076C	7.6	76	114	8	4,200
38	D07-8077C	7.7	76	114	8	4,200
39	D07-8078C	7.8	76	114	8	4,200
40	D07-8079C	7.9	76	114	8	4,200
41	D07-8080C	8.0	76	114	8	4,200
42	D07-8081C	8.1	95	142	10	5,700



www.chliyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信

鑽頭刀系列

頁次	品號	規格	刃長 (H)	全長 (L)	柄徑 (D)	牌價
43	D07-8082C	8.2	95	142	10	5,700
44	D07-8083C	8.3	95	142	10	5,700
45	D07-8084C	8.4	95	142	10	5,700
46	D07-8085C	8.5	95	142	10	5,700
47	D07-8086C	8.6	95	142	10	5,700
48	D07-8087C	8.7	95	142	10	5,700
49	D07-8088C	8.8	95	142	10	5,700
50	D07-8089C	8.9	95	142	10	5,700
51	D07-8090C	9.0	95	142	10	5,700
52	D07-8091C	9.1	95	142	10	5,700
53	D07-8092C	9.2	95	142	10	5,700
54	D07-8093C	9.3	95	142	10	5,700
55	D07-8094C	9.4	95	142	10	5,700
56	D07-8095C	9.5	95	142	10	5,700
57	D07-8096C	9.6	95	142	10	5,700
58	D07-8097C	9.7	95	142	10	5,700
59	D07-8098C	9.8	95	142	10	5,700
60	D07-8099C	9.9	95	142	10	5,700
61	D07-8100C	10.0	95	142	10	5,700
62	D07-8101C	10.1	114	162	12	7,500
63	D07-8102C	10.2	114	162	12	7,500
64	D07-8103C	10.3	114	162	12	7,500
65	D07-8104C	10.4	114	162	12	7,500
66	D07-8105C	10.5	114	162	12	7,500
67	D07-8106C	10.6	114	162	12	7,500
68	D07-8107C	10.7	114	162	12	7,500
69	D07-8108C	10.8	114	162	12	7,500
70	D07-8109C	10.9	114	162	12	7,500
71	D07-8110C	11.0	114	162	12	7,500
72	D07-8111C	11.1	114	162	12	7,500
73	D07-8112C	11.2	114	162	12	7,500
74	D07-8113C	11.3	114	162	12	7,500
75	D07-8114C	11.4	114	162	12	7,500
76	D07-8115C	11.5	114	162	12	7,500
77	D07-8116C	11.6	114	162	12	7,500
78	D07-8117C	11.7	114	162	12	7,500
79	D07-8118C	11.8	114	162	12	7,500
80	D07-8119C	11.9	114	162	12	7,500
81	D07-8120C	12.0	114	162	12	7,500





www.chillyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信

XC 切削鑽



鑽頭刀系列

頁次	品號	∅D	∅d1	L1	L2	Insert Size	Screw	Wrench	牌價
1	SF-8R-2D	8	12	81	16	XCNT 040104	M2.0x4	T6	1,400
2	SF-8R-2.5D			85	20				1,550
3	SF-10R-2D			85	20	XCNT 050204	M2.0x5	T6	1,550
4	SF-10R-2.5D	10	12	90	25				1,700
5	SF-12R-2D			89	24	XCNT 060204	M2.0x5	T6	1,700
6	SF-12R-2.5D			95	30				1,900
7	SF-14R-2D	14	16	93	28	XCNT 070304	M2.5x7	T7/8	2,000
8	SF-14R-2.5D			100	35				2,200
9	SF-16R-2D			104	32	XCNT 080304	M3.0x7	T9	2,350
10	SF-16R-2.5D	16	20	112	40				2,500
11	SF-18R-2D			108	36	XCNT 09T304	M3.0x7	T9	2,650
12	SF-18R-2.5D	18	20	117	45				2,800
13	SF-20R-2D			118	40	XCNT 10T304	M3.5x8	T15	3,100
14	SF-20R-2.5D	20	25	128	50				3,250
15	SF-25R-2D			134	50	XCNT 130404	M5.0x10	T20	3,400
16	SF-25R-2.5D	25	32	147	62.5				3,550
17									
18									
19									
20									
21									
22									
23									
24									



www.chilkyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信



NACHI SG-ESS 粉末鑽頭



鑽頭刀系列

項次	品號	規格	刃長(H)	全長(H)	牌價
1	D01-001	1.0	6	38	310
2	D01-002	1.1	7	39	290
3	D01-003	1.2	8	40	290
4	D01-004	1.3	8	40	290
5	D01-005	1.4	9	41	290
6	D01-006	1.5	9	41	290
7	D01-007	1.6	10	42	260
8	D01-008	1.7	10	42	260
9	D01-009	1.8	11	43	260
10	D01-010	1.9	11	43	260
11	D01-011	2.0	12	44	260
12	D01-012	2.1	12	44	300
13	D01-013	2.2	13	45	300
14	D01-014	2.3	13	45	300
15	D01-015	2.4	14	46	300
16	D01-016	2.5	14	46	300
17	D01-017	2.6	14	46	320
18	D01-018	2.7	16	48	320
19	D01-019	2.8	16	48	320
20	D01-020	2.9	16	48	320
21	D01-021	3.0	16	48	320
22	D01-022	3.1	18	50	350
23	D01-023	3.2	18	50	350
24	D01-024	3.3	18	50	350
25	D01-025	3.4	20	52	350
26	D01-026	3.5	20	52	350
27	D01-027	3.6	20	52	390
28	D01-028	3.7	20	52	390
29	D01-029	3.8	22	54	390
30	D01-030	3.9	22	54	390
31	D01-031	4.0	22	54	390
32	D01-032	4.1	22	66	440
33	D01-033	4.2	22	66	440
34	D01-034	4.3	24	68	440
35	D01-035	4.4	24	68	440

項次	品號	規格	刃長(H)	全長(H)	牌價
36	D01-036	4.5	24	68	440
37	D01-037	4.6	24	68	500
38	D01-038	4.7	24	68	500
39	D01-039	4.8	26	70	500
40	D01-040	4.9	26	70	500
41	D01-041	5.0	26	70	500
42	D01-042	5.1	26	70	580
43	D01-043	5.2	26	70	580
44	D01-044	5.3	26	70	580
45	D01-045	5.4	28	72	580
46	D01-046	5.5	28	72	580
47	D01-047	5.6	28	72	630
48	D01-048	5.7	28	72	630
49	D01-049	5.8	28	72	630
50	D01-050	5.9	28	72	630
51	D01-051	6.0	28	72	670
52	D01-052	6.1	31	75	670
53	D01-053	6.2	31	75	670
54	D01-054	6.3	31	75	670
55	D01-055	6.4	31	75	670
56	D01-056	6.5	31	75	670
57	D01-057	6.6	31	75	690
58	D01-058	6.7	31	75	690
59	D01-059	6.8	34	78	690
60	D01-060	6.9	34	78	690
61	D01-061	7.0	34	78	690
62	D01-062	7.1	34	78	720
63	D01-063	7.2	34	78	720
64	D01-064	7.3	34	78	720
65	D01-065	7.4	34	78	720
66	D01-066	7.5	34	78	720
67	D01-067	7.6	37	81	770
68	D01-068	7.7	37	81	770
69	D01-069	7.8	37	81	770
70	D01-070	7.9	37	81	770



www.chliyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信

鑽頭刀系列

項次	品號	規格	刃長(H)	全長(H)	牌價
71	D01-071	8.0	37	81	770
72	D01-072	8.1	37	87	820
73	D01-073	8.2	37	87	820
74	D01-074	8.3	37	87	820
75	D01-075	8.4	37	87	820
76	D01-076	8.5	37	87	820
77	D01-077	8.6	40	90	880
78	D01-078	8.7	40	90	880
79	D01-079	8.8	40	90	880
80	D01-080	8.9	40	90	880
81	D01-081	9.0	40	90	880
82	D01-082	9.1	40	90	950
83	D01-083	9.2	40	90	950
84	D01-084	9.3	40	90	950
85	D01-085	9.4	40	90	950
86	D01-086	9.5	40	90	950
87	D01-087	9.6	43	93	1000
88	D01-088	9.7	43	93	1000
89	D01-089	9.8	43	93	1000
90	D01-090	9.9	43	93	1000
91	D01-091	10.0	43	93	1000
92	D01-092	10.1	43	100	1100
93	D01-093	10.2	43	100	1100
94	D01-094	10.3	43	100	1100
95	D01-095	10.4	43	100	1100
96	D01-096	10.5	43	100	1100
97	D01-097	10.6	43	100	1200
98	D01-098	10.7	47	104	1200
99	D01-099	10.8	47	104	1200
100	D01-100	10.9	47	104	1200
101	D01-101	11.0	47	104	1200
102	D01-102	11.1	47	104	1370
103	D01-103	11.2	47	104	1370
104	D01-104	11.3	47	104	1370
105	D01-105	11.4	47	104	1370
106	D01-106	11.5	47	104	1370
107	D01-107	11.6	47	104	1470
108	D01-108	11.7	47	104	1470
109	D01-109	11.8	47	104	1470
110	D01-110	11.9	51	108	1470
111	D01-111	12.0	51	108	1470
112	D01-112	12.1	51	108	1580
113	D01-113	12.2	51	108	1580
114	D01-114	12.3	51	108	1580
115	D01-115	12.4	51	108	1580
116	D01-116	12.5	51	108	1580
117	D01-117	12.6	51	108	1740

項次	品號	規格	刃長(H)	全長(H)	牌價
118	D01-118	12.7	51	108	1740
119	D01-119	12.8	51	108	1740
120	D01-120	12.9	51	108	1740
121	D01-121	13.0	51	108	1740
122	D01-122	13.5	72	132	2370
123	D01-123	14.0	72	132	2370
124	D01-124	14.5	76	136	2630
125	D01-125	15.0	76	142	3150
126	D01-126	15.5	80	146	3400
127	D01-127	16.0	80	146	3400
128	D01-128	16.5	84	150	3500
129	D01-129	17.0	84	150	3500
130	D01-130	17.5	87	153	3800
131	D01-131	18.0	87	153	3800
132	D01-132	18.5	90	156	4000
133	D01-133	19.0	90	164	4000
134	D01-134	19.5	94	168	4950
135	D01-135	20.0	94	168	4950
136	D01-136	21.0	98	172	8280
137	D01-137	22.0	102	176	8900
138	D01-138	23.0	106	180	10140
139	D01-139	24.0	110	184	10760
140	D01-140	25.0	114	188	10760
141	D01-141	26.0	118	192	11240
142	D01-142	27.0	122	196	12480
143	D01-143	28.0	126	200	12480
144	D01-144	29.0	130	204	13260
145	D01-145	30.0	134	208	13260
146	D01-146	13.1	51	108	3620
147	D01-147	13.2	51	108	3620
148	D01-148	13.3	72	132	3620
149	D01-149	13.4	72	132	3620
150	D01-150	13.6	72	132	3620
151	D01-151	13.7	72	132	3620
152	D01-152	13.8	72	132	3620
153	D01-153	13.9	72	132	3620
154	D01-154	14.1	76	136	3980
155	D01-155	14.2	76	136	3980
156	D01-156	14.3	76	136	3980
157	D01-157	14.4	76	136	3980
158	D01-158	14.6	76	142	4780
159	D01-159	14.7	76	142	4780
160	D01-160	14.8	76	142	4780
161	D01-161	14.9	76	142	4780
162	D01-162	15.1	80	146	5120
163	D01-163	15.2	80	146	5120
164	D01-164	15.3	80	146	5120



www.chillyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信



鑽頭刀系列

頁次	品號	規格	刃長(H)	全長(H)	牌價
165	D01-165	15.4	80	146	5120
166	D01-166	15.6	80	146	5120
167	D01-167	15.7	80	146	5120
168	D01-168	15.8	80	146	5120
169	D01-169	15.9	80	146	5120
170	D01-170	16.1	84	150	5300
171	D01-171	16.2	84	150	5300
172	D01-172	16.3	84	150	5300
173	D01-173	16.4	84	150	5300
174	D01-174	16.6	84	150	5300
175	D01-175	16.7	84	150	5300
176	D01-176	16.8	84	150	5300
177	D01-177	16.9	84	150	5300
178	D01-178	17.1	87	153	5720
179	D01-179	17.2	87	153	5720
180	D01-180	17.3	87	153	5720
181	D01-181	17.4	87	153	5720
182	D01-182	17.6	87	153	5720
183	D01-183	17.7	87	153	5720
184	D01-184	17.8	87	153	5720
185	D01-185	17.9	87	153	5720
186	D01-186	18.1	90	156	6100
187	D01-187	18.2	90	156	6100
188	D01-188	18.3	90	156	6100
189	D01-189	18.4	90	156	6100
190	D01-190	18.6	90	164	6100
191	D01-191	18.7	90	164	6100
192	D01-192	18.8	90	164	6100
193	D01-193	18.9	90	164	6100
194	D01-194	19.1	94	168	7540
195	D01-195	19.2	94	168	7540
196	D01-196	19.3	94	168	7540
197	D01-197	19.4	94	168	7540
198	D01-198	19.6	94	168	7540
199	D01-199	19.7	94	168	7540
200	D01-200	19.8	94	168	7540
201	D01-201	19.9	94	168	7540



奇力揚有限公司

專業 / 技術 / 服務 / 誠信

[illegible]



www.chillyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信



NACHI SG-ES 粉末長刃鑽頭



鑽頭刀系列

項次	品號	規格	刃長(H)	全長(H)	牌價
1	D02-001	2.0	24	56	320
2	D02-002	2.1	24	56	330
3	D02-003	2.2	25	56	330
4	D02-004	2.3	25	56	330
5	D02-005	2.4	30	61	330
6	D02-006	2.5	30	61	320
7	D02-007	2.6	30	61	330
8	D02-008	2.7	33	64	330
9	D02-009	2.8	33	64	330
10	D02-010	2.9	33	64	330
11	D02-011	3.0	33	64	320
12	D02-012	3.1	36	68	390
13	D02-013	3.2	36	68	390
14	D02-014	3.3	36	68	390
15	D02-015	3.4	39	71	390
16	D02-016	3.5	39	71	370
17	D02-017	3.6	39	71	420
18	D02-018	3.7	39	71	420
19	D02-019	3.8	43	75	420
20	D02-020	3.9	43	75	420
21	D02-021	4.0	43	75	400
22	D02-022	4.1	43	85	460
23	D02-023	4.2	43	85	460
24	D02-024	4.3	47	89	460
25	D02-025	4.4	47	89	460
26	D02-026	4.5	47	89	450
27	D02-027	4.6	47	89	530
28	D02-028	4.7	47	89	530
29	D02-029	4.8	52	94	530
30	D02-030	4.9	52	94	530
31	D02-031	5.0	52	94	510
32	D02-032	5.1	52	94	630
33	D02-033	5.2	52	94	630
34	D02-034	5.3	52	94	630
35	D02-035	5.4	57	99	630

項次	品號	規格	刃長(H)	全長(H)	牌價
36	D02-036	5.5	57	99	610
37	D02-037	5.6	57	99	680
38	D02-038	5.7	57	99	680
39	D02-039	5.8	57	99	680
40	D02-040	5.9	57	99	680
41	D02-041	6.0	57	99	660
42	D02-042	6.1	63	107	770
43	D02-043	6.2	63	107	770
44	D02-044	6.3	63	107	770
45	D02-045	6.4	63	107	770
46	D02-046	6.5	63	107	720
47	D02-047	6.6	63	107	790
48	D02-048	6.7	63	107	790
49	D02-049	6.8	69	113	790
50	D02-050	6.9	69	113	790
51	D02-051	7.0	69	113	740
52	D02-052	7.1	69	113	840
53	D02-053	7.2	69	113	840
54	D02-054	7.3	69	113	840
55	D02-055	7.4	69	113	840
56	D02-056	7.5	69	113	800
57	D02-057	7.6	75	119	870
58	D02-058	7.7	75	119	870
59	D02-059	7.8	75	119	870
60	D02-060	7.9	75	119	870
61	D02-061	8.0	75	119	820
62	D02-062	8.1	75	125	950
63	D02-063	8.2	75	125	950
64	D02-064	8.3	75	125	950
65	D02-065	8.4	75	125	950
66	D02-066	8.5	75	125	930
67	D02-067	8.6	81	131	1050
68	D02-068	8.7	81	131	1050
69	D02-069	8.8	81	131	1050
70	D02-070	8.9	81	131	1050



www.chliyang.com.tw

奇力揚有限公司

專業 / 技術 / 服務 / 誠信

鑽頭刀系列

項次	品號	規格	刃長(H)	全長(H)	牌價
71	D02-071	9.0	81	131	980
72	D02-072	9.1	81	131	1050
73	D02-073	9.2	81	131	1050
74	D02-074	9.3	81	131	1050
75	D02-075	9.4	81	131	1050
76	D02-076	9.5	81	131	1050
77	D02-077	9.6	87	137	1200
78	D02-078	9.7	87	137	1200
79	D02-079	9.8	87	137	1200
80	D02-080	9.9	87	137	1200
81	D02-081	10.0	87	137	1150
82	D02-082	10.1	87	144	1250
83	D02-083	10.2	87	144	1250
84	D02-084	10.3	87	144	1250
85	D02-085	10.4	87	144	1250
86	D02-086	10.5	87	144	1200
87	D02-087	10.6	87	144	1400
88	D02-088	10.7	94	151	1400
89	D02-089	10.8	94	151	1400
90	D02-090	10.9	94	151	1400
91	D02-091	11.0	94	151	1350
92	D02-092	11.1	94	151	1600
93	D02-093	11.2	94	151	1600
94	D02-094	11.3	94	151	1600
95	D02-095	11.4	94	151	1600
96	D02-096	11.5	94	151	1550
97	D02-097	11.6	94	151	1750
98	D02-098	11.7	94	151	1750
99	D02-099	11.8	94	151	1750
100	D02-100	11.9	101	158	1750
101	D02-101	12.0	101	158	1700
102	D02-102	12.1	101	158	1850
103	D02-103	12.2	101	158	1850
104	D02-104	12.3	101	158	1850
105	D02-105	12.4	101	158	1850
106	D02-106	12.5	101	158	1800
107	D02-107	12.6	101	158	2000
108	D02-108	12.7	101	158	2000
109	D02-109	12.8	101	158	2000
110	D02-110	12.9	101	158	2000
111	D02-111	13.0	101	158	1900
112	D02-112	13.5	108	168	3000
113	D02-113	14.0	108	168	3000
114	D02-114	14.5	114	173	3300
115	D02-115	15.0	114	180	3450
116	D02-116	15.5	120	185	3800
117	D02-117	16.0	120	185	3800

項次	品號	規格	刃長(H)	全長(H)	牌價
118	D02-118	16.5	125	189	3950
119	D02-119	17.0	125	189	3950
120	D02-120	17.5	130	194	4300
121	D02-121	18.0	130	194	4300
122	D02-122	18.5	135	198	5000
123	D02-123	19.0	135	206	5000
124	D02-124	19.5	140	210	5250
125	D02-125	20.0	140	210	5250
126	D02-126	20.5	145	214	5800
127	D02-127	21.0	145	214	5800
128	D02-128	21.5	150	218	6050
129	D02-129	22.0	150	218	6050
130	D02-130	22.5	155	223	6900
131	D02-131	23.0	155	223	6900
132	D02-132	23.5	155	223	7100
133	D02-133	24.0	160	237	7100
134	D02-134	24.5	160	237	7100
135	D02-135	25.0	165	241	7100
136	D02-136	25.5	165	241	7350
137	D02-137	26.0	165	241	7350
138	D02-138	26.5	165	241	8500
139	D02-139	27.0	170	245	8500
140	D02-140	27.5	170	245	8500
141	D02-141	28.0	170	245	8500
142	D02-142	28.5	175	248	8500
143	D02-143	29.0	175	248	9000
144	D02-144	29.5	175	248	9000
145	D02-145	30.0	175	248	9000
146	D02-146	30.5	180	252	10400
147	D02-147	31.0	180	252	10400
148	D02-148	31.5	180	252	10400
149	D02-149	32.0	185	255	10400